



UniStrip G4 - Best in Class Linear LED Surface Mounted Luminaire for Exterior Fixed and Dynamic Architectural Lighting Applications

UniStrip G4

UniStrip G4 is a surface mounted, exterior-rated LED luminaire that is designed for façade and outdoor architectural lighting applications. One family that fits all your needs, wall washing, grazing and also linear flood lighting. The robust mechanical and unique optical designs make it ideal for illuminating buildings facades, bridges, overpasses and any application that requires a linear lighting solution. Available in white, monochromatic colors, RGB, RGBW and tunable white and DMX control option available with up to 8 pixels (8IDs) to give architects and designers the freedom to explore a wide range of concepts and design with no limitations.

Benefits

- High and Low Power LEDs versions available
- Various spread lenses that fit all applications
- Adjustable brackets and through wiring for end-to-end connection

UniStrip G4

Features

- Six sub-families with power ranges from 3W to 120W
- DC and AC powered versions
- Narrow, medium, wide and asymmetric beams available
- Optional glare shields for more visual comfort

Application

- Bridges, Monuments, Facades
- Landscape
- Parks and Plazas

Warnings and Safety

- For outdoor use only

Versions



UniStrip G4 Standard Product Photo



UniStrip G4 Standard Product Photo



BCP381

BCP381

BCP381



BCP381



BCP382



UniStrip G4

Versions



BCP385 6LED RGBNW 220V A7
L52 DMX standard photo



159A3792 Standard Product Photo

Product details



UniStrip G4 Detail Photo



UniStrip G4 Detail Photo



UniStrip G4 Detail Photo



UniStrip G4 Detail Photo



UniStrip G4 Detail Photo



UniStrip G4 Detail Photo



UniStrip G4 Detail Photo



UniStrip G4 Detail Photo

UniStrip G4

Product details

UniStrip G4 Detail Photo



UniStrip G4 Detail Photo



159A3710 Detail Photo



159A3691 Detail Photo



159A3731 Detail Photo



Accessories

ZCP380



Ordercode 911401742242

ZCP380



Ordercode 911401742252

ZCP380



Ordercode 911401742262

ZCP381



Ordercode 911401742272,
911401742302

Accessories

ZCP381



Ordercode 911401742282,
911401742312

ZCP381



Ordercode 911401742292,
911401742322

ZCP383 L30 photo



Ordercode 911401756522

ZCP383 L50 photo



Ordercode 911401756532

ZCP383 L10 photo



Ordercode 911401756542

ZCP384 L30 photo



Ordercode 911401756552

ZCP384 L50 photo



Ordercode 911401756562

ZCP384 L10 photo



Ordercode 911401756572

ZCP385 L52 photo



Ordercode 911401756582

ZCP385 L10 photo



Ordercode 911401756592

159A3629 Standard Product Photo



Ordercode 911401782342,
911401782352, 911401782362

Approval and application

Mech. impact protection code IK06

General information

CE mark CE mark

Mechanical and housing

Color Dark gray

Application conditions

Order Code	Full Product Name	Maximum dim level	Order Code	Full Product Name	Maximum dim level
911401735853	BCP383 6LED 27K 220V A2 L30 D2	-	911401736263	BCP383 36LED RGB 220V 45 L100 DMX D2	-
911401735863	BCP383 6LED 27K 220V A2 L30 DMX D2	-	911401736273	BCP384 9LED 27K 220V A2 L30 D2	-
911401735873	BCP383 6LED 27K 220V 45 L30 D2	-	911401736283	BCP384 9LED 27K 220V A2 L30 DMX D2	-
911401735883	BCP383 6LED 27K 220V 45 L30 DMX D2	-	911401736293	BCP384 9LED 27K 220V 45 L30 D2	-
911401735893	BCP383 6LED 30K 220V A2 L30 D2	-	911401736303	BCP384 9LED 27K 220V 45 L30 DMX D2	-
911401735903	BCP383 6LED 30K 220V A2 L30 DMX D2	-	911401736313	BCP384 9LED 30K 220V A2 L30 D2	-
911401735913	BCP383 6LED 30K 220V 45 L30 D2	-	911401736323	BCP384 9LED 30K 220V A2 L30 DMX D2	-
911401735923	BCP383 6LED 30K 220V 45 L30 DMX D2	-	911401736333	BCP384 9LED 30K 220V 45 L30 D2	-
911401735933	BCP383 6LED 40K 220V A2 L30 D2	-	911401736343	BCP384 9LED 30K 220V 45 L30 DMX D2	-
911401735943	BCP383 6LED 40K 220V A2 L30 DMX D2	-	911401736353	BCP384 9LED 40K 220V A2 L30 D2	-
911401735953	BCP383 6LED 40K 220V 45 L30 D2	-	911401736363	BCP384 9LED 40K 220V A2 L30 DMX D2	-
911401735963	BCP383 6LED 40K 220V 45 L30 DMX D2	-	911401736373	BCP384 9LED 40K 220V 45 L30 D2	-
911401735973	BCP383 9LED RGB 220V A2 L30 DMX D2	-	911401736383	BCP384 9LED 40K 220V 45 L30 DMX D2	-
911401735983	BCP383 9LED RGB 220V 45 L30 DMX D2	-	911401736393	BCP384 12LED RGBNW 220V A2 L30 DMX D2	-
911401735993	BCP383 12LED 27K 220V A2 L50 D2	-	911401736403	BCP384 12LED RGBNW 220V 45 L30 DMX D2	-
911401736003	BCP383 12LED 27K 220V A2 L50 DMX D2	-	911401736413	BCP384 12LED RGB 220V A2 L30 DMX D2	-
911401736013	BCP383 12LED 27K 220V 45 L50 D2	-	911401736423	BCP384 12LED RGB 220V 45 L30 DMX D2	-
911401736023	BCP383 12LED 27K 220V 45 L50 DMX D2	-	911401736433	BCP384 18LED 27K 220V A2 L50 D2	-
911401736033	BCP383 12LED 30K 220V A2 L50 D2	-	911401736443	BCP384 18LED 27K 220V A2 L50 DMX D2	-
911401736043	BCP383 12LED 30K 220V A2 L50 DMX D2	-	911401736453	BCP384 18LED 27K 220V 45 L50 D2	-
911401736053	BCP383 12LED 30K 220V 45 L50 D2	-	911401736463	BCP384 18LED 27K 220V 45 L50 DMX D2	-
911401736063	BCP383 12LED 30K 220V 45 L50 DMX D2	-	911401736473	BCP384 18LED 30K 220V A2 L50 D2	-
911401736073	BCP383 12LED 40K 220V A2 L50 D2	-	911401736483	BCP384 18LED 30K 220V A2 L50 DMX D2	-
911401736083	BCP383 12LED 40K 220V A2 L50 DMX D2	-	911401736493	BCP384 18LED 30K 220V 45 L50 D2	-
911401736093	BCP383 12LED 40K 220V 45 L50 D2	-	911401736503	BCP384 18LED 30K 220V 45 L50 DMX D2	-
911401736103	BCP383 12LED 40K 220V 45 L50 DMX D2	-	911401736513	BCP384 18LED 40K 220V A2 L50 D2	-
911401736113	BCP383 18LED RGB 220V A2 L50 DMX D2	-	911401736523	BCP384 18LED 40K 220V A2 L50 DMX D2	-
911401736123	BCP383 18LED RGB 220V 45 L50 DMX D2	-	911401736533	BCP384 18LED 40K 220V 45 L50 D2	-
911401736133	BCP383 24LED 27K 220V A2 L100 D2	-	911401736543	BCP384 18LED 40K 220V 45 L50 DMX D2	-
911401736143	BCP383 24LED 27K 220V A2 L100 DMX D2	-	911401736553	BCP384 24LED RGBNW 220V A2 L50 DMX D2	-
911401736153	BCP383 24LED 27K 220V 45 L100 D2	-	911401736563	BCP384 24LED RGBNW 220V 45 L50 DMX D2	-
911401736163	BCP383 24LED 27K 220V 45 L100 DMX D2	-	911401736573	BCP384 24LED RGB 220V A2 L50 DMX D2	-
911401736173	BCP383 24LED 30K 220V A2 L100 D2	-	911401736583	BCP384 24LED RGB 220V 45 L50 DMX D2	-
911401736183	BCP383 24LED 30K 220V A2 L100 DMX D2	-	911401736593	BCP384 36LED 27K 220V A2 L100 D2	-
911401736193	BCP383 24LED 30K 220V 45 L100 D2	-	911401736603	BCP384 36LED 27K 220V A2 L100 DMX D2	-
911401736203	BCP383 24LED 30K 220V 45 L100 DMX D2	-	911401736613	BCP384 36LED 27K 220V 45 L100 D2	-
911401736213	BCP383 24LED 40K 220V A2 L100 D2	-	911401736623	BCP384 36LED 27K 220V 45 L100 DMX D2	-
911401736223	BCP383 24LED 40K 220V A2 L100 DMX D2	-	911401736633	BCP384 36LED 30K 220V A2 L100 D2	-
911401736233	BCP383 24LED 40K 220V 45 L100 D2	-	911401736643	BCP384 36LED 30K 220V A2 L100 DMX D2	-
911401736243	BCP383 24LED 40K 220V 45 L100 DMX D2	-	911401736653	BCP384 36LED 30K 220V 45 L100 D2	-
911401736253	BCP383 36LED RGB 220V A2 L100 DMX D2	-	911401736663	BCP384 36LED 30K 220V 45 L100 DMX D2	-

Order Code	Full Product Name	Maximum dim level
911401736673	BCP384 36LED 40K 220V A2 L100 D2	-
911401736683	BCP384 36LED 40K 220V A2 L100 DMX D2	-
911401736693	BCP384 36LED 40K 220V 45 L100 D2	-
911401736703	BCP384 36LED 40K 220V 45 L100 DMX D2	-
911401736713	BCP384 48LED RGBNW 220V A2 L100 DMX D2	-
911401736723	BCP384 48LED RGBNW 220V 45 L100 DMX D2	-
911401736733	BCP384 48LED RGB 220V A2 L100 DMX D2	-
911401736743	BCP384 48LED RGB 220V 45 L100 DMX D2	-
911401736753	BCP385 24LED RGB 220V A1 L52 DMX D3	-
911401736763	BCP385 30LED RGB 220V A1 L52 DMX D3	-
911401736773	BCP385 24LED 27K 220V 7 L52 D3	-
911401736783	BCP385 24LED 27K 220V 7 L52 DMX D3	-
911401736793	BCP385 24LED 27K 220V A1 L52 D3	-
911401736803	BCP385 24LED 27K 220V A1 L52 DMX D3	-
911401736813	BCP385 24LED 30K 220V 7 L52 D3	-
911401736823	BCP385 24LED 30K 220V 7 L52 DMX D3	-
911401736833	BCP385 24LED 30K 220V A1 L52 D3	-
911401736843	BCP385 24LED 30K 220V A1 L52 DMX D3	-
911401736853	BCP385 24LED 40K 220V 7 L52 D3	-
911401736863	BCP385 24LED 40K 220V 7 L52 DMX D3	-
911401736873	BCP385 24LED 40K 220V A1 L52 D3	-
911401736883	BCP385 24LED 40K 220V A1 L52 DMX D3	-
911401736893	BCP385 30LED 27K 220V 7 L52 D3	-
911401736903	BCP385 30LED 27K 220V 7 L52 DMX D3	-
911401736913	BCP385 30LED 27K 220V A1 L52 D3	-
911401736923	BCP385 30LED 27K 220V A1 L52 DMX D3	-
911401736933	BCP385 30LED 30K 220V 7 L52 D3	-
911401736943	BCP385 30LED 30K 220V 7 L52 DMX D3	-
911401736953	BCP385 30LED 30K 220V A1 L52 D3	-
911401736963	BCP385 30LED 30K 220V A1 L52 DMX D3	-
911401736973	BCP385 30LED 40K 220V 7 L52 D3	-
911401736983	BCP385 30LED 40K 220V 7 L52 DMX D3	-
911401736993	BCP385 30LED 40K 220V A1 L52 D3	-
911401737003	BCP385 30LED 40K 220V A1 L52 DMX D3	-
911401737013	BCP385 48LED 27K 220V 7 L100 D3	-
911401737023	BCP385 48LED 27K 220V 7 L100 DMX D3	-
911401737033	BCP385 48LED 27K 220V A1 L100 D3	-
911401737043	BCP385 48LED 27K 220V A1 L100 DMX D3	-
911401737053	BCP385 48LED 30K 220V 7 L100 D3	-
911401737063	BCP385 48LED 30K 220V 7 L100 DMX D3	-
911401737073	BCP385 48LED 30K 220V A1 L100 D3	-
911401737083	BCP385 48LED 30K 220V A1 L100 DMX D3	-
911401737093	BCP385 48LED 40K 220V 7 L100 D3	-
911401737103	BCP385 48LED 40K 220V 7 L100 DMX D3	-
911401737113	BCP385 48LED 40K 220V A1 L100 D3	-
911401737123	BCP385 48LED 40K 220V A1 L100 DMX D3	-
911401737133	BCP385 60LED 27K 220V 7 L100 D3	-
911401737143	BCP385 60LED 27K 220V 7 L100 DMX D3	-
911401737153	BCP385 60LED 27K 220V A1 L100 D3	-
911401737163	BCP385 60LED 27K 220V A1 L100 DMX D3	-
911401737173	BCP385 60LED 30K 220V 7 L100 D3	-
911401737183	BCP385 60LED 30K 220V 7 L100 DMX D3	-

Order Code	Full Product Name	Maximum dim level
911401737193	BCP385 60LED 30K 220V A1 L100 D3	-
911401737203	BCP385 60LED 30K 220V A1 L100 DMX D3	-
911401737213	BCP385 60LED 40K 220V 7 L100 D3	-
911401737223	BCP385 60LED 40K 220V 7 L100 DMX D3	-
911401737233	BCP385 60LED 40K 220V A1 L100 D3	-
911401737243	BCP385 60LED 40K 220V A1 L100 DMX D3	-
911401737253	BCP385 48LED RGB 220V A1 L100 DMX D3	-
911401737263	BCP385 60LED RGB 220V A1 L100 DMX D3	-
911401738602	BCP381 12LED 27K 24V A2 L50	-
911401738642	BCP381 12LED 30K 24V A2 L50	-
911401738762	BCP381 24LED 27K 24V A2 L100	-
911401738802	BCP381 24LED 30K 24V A2 L100	-
911401738922	BCP381 6LED 27K 24V A2 L30	-
911401738962	BCP381 6LED 30K 24V A2 L30	-
911401738622	BCP381 12LED 27K 24V 40 L50	-
911401738662	BCP381 12LED 30K 24V 40 L50	-
911401738782	BCP381 24LED 27K 24V 40 L100	-
911401738822	BCP381 24LED 30K 24V 40 L100	-
911401738942	BCP381 6LED 27K 24V 40 L30	-
911401738982	BCP381 6LED 30K 24V 40 L30	-
911401739142	BCP382 18LED 27K 24V 17 L50	-
911401739162	BCP382 18LED 27K 24V 40 L50	-
911401739202	BCP382 18LED 30K 24V 17 L50	-
911401739222	BCP382 18LED 30K 24V 40 L50	-
911401739362	BCP382 36LED 27K 24V 17 L100	-
911401739382	BCP382 36LED 27K 24V 40 L100	-
911401739422	BCP382 36LED 30K 24V 17 L100	-
911401739442	BCP382 36LED 30K 24V 40 L100	-
911401739582	BCP382 9LED 27K 24V 17 L30	-
911401739602	BCP382 9LED 27K 24V 40 L30	-
911401739642	BCP382 9LED 30K 24V 17 L30	-
911401739662	BCP382 9LED 30K 24V 40 L30	-
911401738682	BCP381 12LED 40K 24V A2 L50	-
911401738842	BCP381 24LED 40K 24V A2 L100	-
911401739002	BCP381 6LED 40K 24V A2 L30	-
911401738702	BCP381 12LED 40K 24V 40 L50	-
911401738862	BCP381 24LED 40K 24V 40 L100	-
911401739022	BCP381 6LED 40K 24V 40 L30	-
911401739242	BCP382 18LED 40K 24V A2 L50	-
911401739262	BCP382 18LED 40K 24V 17 L50	-
911401739282	BCP382 18LED 40K 24V 40 L50	-
911401739462	BCP382 36LED 40K 24V A2 L100	-
911401739482	BCP382 36LED 40K 24V 17 L100	-
911401739502	BCP382 36LED 40K 24V 40 L100	-
911401739682	BCP382 9LED 40K 24V A2 L30	-
911401739702	BCP382 9LED 40K 24V 17 L30	-
911401739722	BCP382 9LED 40K 24V 40 L30	-
911401739122	BCP382 18LED 27K 24V A2 L50	-
911401739182	BCP382 18LED 30K 24V A2 L50	-
911401739342	BCP382 36LED 27K 24V A2 L100	-
911401739402	BCP382 36LED 30K 24V A2 L100	-
911401739562	BCP382 9LED 27K 24V A2 L30	-

Order Code	Full Product Name	Maximum dim level
911401739622	BCP382 9LED 30K 24V A2 L30	-
911401751682	BCP385 6LED RGBNW 220V A7 L52 DMX	10%
911401752192	BCP385 12LED RGBNW 220V A7 L100 DMX	10%
911401779742	BCP386 12LED 27K 24V 45 L30	-
911401779762	BCP386 12LED 30K 24V 45 L30	-
911401779782	BCP386 12LED 40K 24V 45 L30	-
911401779982	BCP386 12LED 27K 24V 60 L30	-
911401780002	BCP386 12LED 30K 24V 60 L30	-
911401780022	BCP386 12LED 40K 24V 60 L30	-
911401780042	BCP386 12LED 27K 24V A11 L30	-
911401780062	BCP386 12LED 30K 24V A11 L30	-
911401780082	BCP386 12LED 40K 24V A11 L30	-
911401780092	BCP386 12LED RGBWW 24V 45 L30 DMX	-
911401780102	BCP386 12LED RGBNW 24V 45 L30 DMX	-
911401780112	BCP386 12LED RGBWW 24V A11 L30 DMX	-
911401780122	BCP386 12LED RGBNW 24V A11 L30 DMX	-
911401780132	BCP386 12LED RGB 24V 30 L30 DMX	-
911401780142	BCP386 12LED RGB 24V 45 L30 DMX	-
911401780152	BCP386 12LED RGB 24V A3 L30 DMX	-
911401780172	BCP386 30LED 27K 24V 45 L50	-
911401780192	BCP386 30LED 30K 24V 45 L50	-
911401780212	BCP386 30LED 40K 24V 45 L50	-
911401780232	BCP386 30LED 27K 24V 60 L50	-
911401780252	BCP386 30LED 30K 24V 60 L50	-
911401780272	BCP386 30LED 40K 24V 60 L50	-
911401780292	BCP386 30LED 27K 24V A11 L50	-

Order Code	Full Product Name	Maximum dim level
911401780312	BCP386 30LED 30K 24V A11 L50	-
911401780332	BCP386 30LED 40K 24V A11 L50	-
911401780342	BCP386 30LED RGBWW 24V 45 L50 DMX	-
911401780352	BCP386 30LED RGBNW 24V 45 L50 DMX	-
911401780362	BCP386 30LED RGBWW 24V A11 L50 DMX	-
911401780372	BCP386 30LED RGBNW 24V A11 L50 DMX	-
911401780382	BCP386 30LED RGB 24V 30 L50 DMX	-
911401780392	BCP386 30LED RGB 24V 45 L50 DMX	-
911401780402	BCP386 30LED RGB 24V A3 L50 DMX	-
911401780422	BCP386 60LED 27K 24V 45 L100	-
911401780442	BCP386 60LED 30K 24V 45 L100	-
911401780462	BCP386 60LED 40K 24V 45 L100	-
911401780482	BCP386 60LED 27K 24V 60 L100	-
911401780502	BCP386 60LED 30K 24V 60 L100	-
911401780522	BCP386 60LED 40K 24V 60 L100	-
911401780542	BCP386 60LED 27K 24V A11 L100	-
911401780562	BCP386 60LED 30K 24V A11 L100	-
911401780582	BCP386 60LED 40K 24V A11 L100	-
911401780592	BCP386 60LED RGBWW 24V 45 L100 DMX	-
911401780602	BCP386 60LED RGBNW 24V 45 L100 DMX	-
911401780612	BCP386 60LED RGBWW 24V A11 L100 DMX	-
911401780622	BCP386 60LED RGBNW 24V A11 L100 DMX	-
911401780632	BCP386 60LED RGB 24V 30 L100 DMX	-
911401780642	BCP386 60LED RGB 24V 45 L100 DMX	-
911401780652	BCP386 60LED RGB 24V A3 L100 DMX	-

Controls and dimming

Order Code	Full Product Name	Dimmable
911401735853	BCP383 6LED 27K 220V A2 L30 D2	No
911401735863	BCP383 6LED 27K 220V A2 L30 DMX D2	Yes
911401735873	BCP383 6LED 27K 220V 45 L30 D2	No
911401735883	BCP383 6LED 27K 220V 45 L30 DMX D2	Yes
911401735893	BCP383 6LED 30K 220V A2 L30 D2	No
911401735903	BCP383 6LED 30K 220V A2 L30 DMX D2	Yes
911401735913	BCP383 6LED 30K 220V 45 L30 D2	No
911401735923	BCP383 6LED 30K 220V 45 L30 DMX D2	Yes
911401735933	BCP383 6LED 40K 220V A2 L30 D2	No
911401735943	BCP383 6LED 40K 220V A2 L30 DMX D2	Yes
911401735953	BCP383 6LED 40K 220V 45 L30 D2	No
911401735963	BCP383 6LED 40K 220V 45 L30 DMX D2	Yes
911401735973	BCP383 9LED RGB 220V A2 L30 DMX D2	Yes
911401735983	BCP383 9LED RGB 220V 45 L30 DMX D2	Yes
911401735993	BCP383 12LED 27K 220V A2 L50 D2	No
911401736003	BCP383 12LED 27K 220V A2 L50 DMX D2	Yes
911401736013	BCP383 12LED 27K 220V 45 L50 D2	No
911401736023	BCP383 12LED 27K 220V 45 L50 DMX D2	Yes
911401736033	BCP383 12LED 30K 220V A2 L50 D2	No
911401736043	BCP383 12LED 30K 220V A2 L50 DMX D2	Yes
911401736053	BCP383 12LED 30K 220V 45 L50 D2	No
911401736063	BCP383 12LED 30K 220V 45 L50 DMX D2	Yes

Order Code	Full Product Name	Dimmable
911401736073	BCP383 12LED 40K 220V A2 L50 D2	No
911401736083	BCP383 12LED 40K 220V A2 L50 DMX D2	Yes
911401736093	BCP383 12LED 40K 220V 45 L50 D2	No
911401736103	BCP383 12LED 40K 220V 45 L50 DMX D2	Yes
911401736113	BCP383 18LED RGB 220V A2 L50 DMX D2	Yes
911401736123	BCP383 18LED RGB 220V 45 L50 DMX D2	Yes
911401736133	BCP383 24LED 27K 220V A2 L100 D2	No
911401736143	BCP383 24LED 27K 220V A2 L100 DMX D2	Yes
911401736153	BCP383 24LED 27K 220V 45 L100 D2	No
911401736163	BCP383 24LED 27K 220V 45 L100 DMX D2	Yes
911401736173	BCP383 24LED 30K 220V A2 L100 D2	No
911401736183	BCP383 24LED 30K 220V A2 L100 DMX D2	Yes
911401736193	BCP383 24LED 30K 220V 45 L100 D2	No
911401736203	BCP383 24LED 30K 220V 45 L100 DMX D2	Yes
911401736213	BCP383 24LED 40K 220V A2 L100 D2	No
911401736223	BCP383 24LED 40K 220V A2 L100 DMX D2	Yes
911401736233	BCP383 24LED 40K 220V 45 L100 D2	No
911401736243	BCP383 24LED 40K 220V 45 L100 DMX D2	Yes
911401736253	BCP383 36LED RGB 220V A2 L100 DMX D2	Yes
911401736263	BCP383 36LED RGB 220V 45 L100 DMX D2	Yes
911401736273	BCP384 9LED 27K 220V A2 L30 D2	No
911401736283	BCP384 9LED 27K 220V A2 L30 DMX D2	Yes

Order Code	Full Product Name	Dimmable	Order Code	Full Product Name	Dimmable
911401736293	BCP384 9LED 27K 220V 45 L30 D2	No	911401736813	BCP385 24LED 30K 220V 7 L52 D3	No
911401736303	BCP384 9LED 27K 220V 45 L30 DMX D2	Yes	911401736823	BCP385 24LED 30K 220V 7 L52 DMX D3	Yes
911401736313	BCP384 9LED 30K 220V A2 L30 D2	No	911401736833	BCP385 24LED 30K 220V A1 L52 D3	No
911401736323	BCP384 9LED 30K 220V A2 L30 DMX D2	Yes	911401736843	BCP385 24LED 30K 220V A1 L52 DMX D3	Yes
911401736333	BCP384 9LED 30K 220V 45 L30 D2	No	911401736853	BCP385 24LED 40K 220V 7 L52 D3	No
911401736343	BCP384 9LED 30K 220V 45 L30 DMX D2	Yes	911401736863	BCP385 24LED 40K 220V 7 L52 DMX D3	Yes
911401736353	BCP384 9LED 40K 220V A2 L30 D2	No	911401736873	BCP385 24LED 40K 220V A1 L52 D3	No
911401736363	BCP384 9LED 40K 220V A2 L30 DMX D2	Yes	911401736883	BCP385 24LED 40K 220V A1 L52 DMX D3	Yes
911401736373	BCP384 9LED 40K 220V 45 L30 D2	No	911401736893	BCP385 30LED 27K 220V 7 L52 D3	No
911401736383	BCP384 9LED 40K 220V 45 L30 DMX D2	Yes	911401736903	BCP385 30LED 27K 220V 7 L52 DMX D3	Yes
911401736393	BCP384 12LED RGBNW 220V A2 L30 DMX D2	Yes	911401736913	BCP385 30LED 27K 220V A1 L52 D3	No
911401736403	BCP384 12LED RGBNW 220V 45 L30 DMX D2	Yes	911401736923	BCP385 30LED 27K 220V A1 L52 DMX D3	Yes
911401736413	BCP384 12LED RGB 220V A2 L30 DMX D2	Yes	911401736933	BCP385 30LED 30K 220V 7 L52 D3	No
911401736423	BCP384 12LED RGB 220V 45 L30 DMX D2	Yes	911401736943	BCP385 30LED 30K 220V 7 L52 DMX D3	Yes
911401736433	BCP384 18LED 27K 220V A2 L50 D2	No	911401736953	BCP385 30LED 30K 220V A1 L52 D3	No
911401736443	BCP384 18LED 27K 220V A2 L50 DMX D2	Yes	911401736963	BCP385 30LED 30K 220V A1 L52 DMX D3	Yes
911401736453	BCP384 18LED 27K 220V 45 L50 D2	No	911401736973	BCP385 30LED 40K 220V 7 L52 D3	No
911401736463	BCP384 18LED 27K 220V 45 L50 DMX D2	Yes	911401736983	BCP385 30LED 40K 220V 7 L52 DMX D3	Yes
911401736473	BCP384 18LED 30K 220V A2 L50 D2	No	911401736993	BCP385 30LED 40K 220V A1 L52 D3	No
911401736483	BCP384 18LED 30K 220V A2 L50 DMX D2	Yes	911401737003	BCP385 30LED 40K 220V A1 L52 DMX D3	Yes
911401736493	BCP384 18LED 30K 220V 45 L50 D2	No	911401737013	BCP385 48LED 27K 220V 7 L100 D3	No
911401736503	BCP384 18LED 30K 220V 45 L50 DMX D2	Yes	911401737023	BCP385 48LED 27K 220V 7 L100 DMX D3	Yes
911401736513	BCP384 18LED 40K 220V A2 L50 D2	No	911401737033	BCP385 48LED 27K 220V A1 L100 D3	No
911401736523	BCP384 18LED 40K 220V A2 L50 DMX D2	Yes	911401737043	BCP385 48LED 27K 220V A1 L100 DMX D3	Yes
911401736533	BCP384 18LED 40K 220V 45 L50 D2	No	911401737053	BCP385 48LED 30K 220V 7 L100 D3	No
911401736543	BCP384 18LED 40K 220V 45 L50 DMX D2	Yes	911401737063	BCP385 48LED 30K 220V 7 L100 DMX D3	Yes
911401736553	BCP384 24LED RGBNW 220V A2 L50 DMX D2	Yes	911401737073	BCP385 48LED 30K 220V A1 L100 D3	No
911401736563	BCP384 24LED RGBNW 220V 45 L50 DMX D2	Yes	911401737083	BCP385 48LED 30K 220V A1 L100 DMX D3	Yes
911401736573	BCP384 24LED RGB 220V A2 L50 DMX D2	Yes	911401737093	BCP385 48LED 40K 220V 7 L100 D3	No
911401736583	BCP384 24LED RGB 220V 45 L50 DMX D2	Yes	911401737103	BCP385 48LED 40K 220V 7 L100 DMX D3	Yes
911401736593	BCP384 36LED 27K 220V A2 L100 D2	No	911401737113	BCP385 48LED 40K 220V A1 L100 D3	No
911401736603	BCP384 36LED 27K 220V A2 L100 DMX D2	Yes	911401737123	BCP385 48LED 40K 220V A1 L100 DMX D3	Yes
911401736613	BCP384 36LED 27K 220V 45 L100 D2	No	911401737133	BCP385 60LED 27K 220V 7 L100 D3	No
911401736623	BCP384 36LED 27K 220V 45 L100 DMX D2	Yes	911401737143	BCP385 60LED 27K 220V 7 L100 DMX D3	Yes
911401736633	BCP384 36LED 30K 220V A2 L100 D2	No	911401737153	BCP385 60LED 27K 220V A1 L100 D3	No
911401736643	BCP384 36LED 30K 220V A2 L100 DMX D2	Yes	911401737163	BCP385 60LED 27K 220V A1 L100 DMX D3	Yes
911401736653	BCP384 36LED 30K 220V 45 L100 D2	No	911401737173	BCP385 60LED 30K 220V 7 L100 D3	No
911401736663	BCP384 36LED 30K 220V 45 L100 DMX D2	Yes	911401737183	BCP385 60LED 30K 220V 7 L100 DMX D3	Yes
911401736673	BCP384 36LED 40K 220V A2 L100 D2	No	911401737193	BCP385 60LED 30K 220V A1 L100 D3	No
911401736683	BCP384 36LED 40K 220V A2 L100 DMX D2	Yes	911401737203	BCP385 60LED 30K 220V A1 L100 DMX D3	Yes
911401736693	BCP384 36LED 40K 220V 45 L100 D2	No	911401737213	BCP385 60LED 40K 220V 7 L100 D3	No
911401736703	BCP384 36LED 40K 220V 45 L100 DMX D2	Yes	911401737223	BCP385 60LED 40K 220V 7 L100 DMX D3	Yes
911401736713	BCP384 48LED RGBNW 220V A2 L100 DMX D2	Yes	911401737233	BCP385 60LED 40K 220V A1 L100 D3	No
911401736723	BCP384 48LED RGBNW 220V 45 L100 DMX D2	Yes	911401737243	BCP385 60LED 40K 220V A1 L100 DMX D3	Yes
911401736733	BCP384 48LED RGB 220V A2 L100 DMX D2	Yes	911401737253	BCP385 48LED RGB 220V A1 L100 DMX D3	Yes
911401736743	BCP384 48LED RGB 220V 45 L100 DMX D2	Yes	911401737263	BCP385 60LED RGB 220V A1 L100 DMX D3	Yes
911401736753	BCP385 24LED RGB 220V A1 L52 DMX D3	Yes	911401738602	BCP381 12LED 27K 24V A2 L50	No
911401736763	BCP385 30LED RGB 220V A1 L52 DMX D3	Yes	911401738642	BCP381 12LED 30K 24V A2 L50	No
911401736773	BCP385 24LED 27K 220V 7 L52 D3	No	911401738762	BCP381 24LED 27K 24V A2 L100	No
911401736783	BCP385 24LED 27K 220V 7 L52 DMX D3	Yes	911401738802	BCP381 24LED 30K 24V A2 L100	No
911401736793	BCP385 24LED 27K 220V A1 L52 D3	No	911401738922	BCP381 6LED 27K 24V A2 L30	No
911401736803	BCP385 24LED 27K 220V A1 L52 DMX D3	Yes	911401738962	BCP381 6LED 30K 24V A2 L30	No

Order Code	Full Product Name	Dimmable	Order Code	Full Product Name	Dimmable
911401738622	BCP381 12LED 27K 24V 40 L50	No	911401780002	BCP386 12LED 30K 24V 60 L30	No
911401738662	BCP381 12LED 30K 24V 40 L50	No	911401780022	BCP386 12LED 40K 24V 60 L30	No
911401738782	BCP381 24LED 27K 24V 40 L100	No	911401780042	BCP386 12LED 27K 24V A11 L30	No
911401738822	BCP381 24LED 30K 24V 40 L100	No	911401780062	BCP386 12LED 30K 24V A11 L30	No
911401738942	BCP381 6LED 27K 24V 40 L30	No	911401780082	BCP386 12LED 40K 24V A11 L30	No
911401738982	BCP381 6LED 30K 24V 40 L30	No	911401780092	BCP386 12LED RGBWW 24V 45 L30 DMX	Yes
911401739142	BCP382 18LED 27K 24V 17 L50	No	911401780102	BCP386 12LED RGBNW 24V 45 L30 DMX	Yes
911401739162	BCP382 18LED 27K 24V 40 L50	No	911401780112	BCP386 12LED RGBWW 24V A11 L30 DMX	Yes
911401739202	BCP382 18LED 30K 24V 17 L50	No	911401780122	BCP386 12LED RGBNW 24V A11 L30 DMX	Yes
911401739222	BCP382 18LED 30K 24V 40 L50	No	911401780132	BCP386 12LED RGB 24V 30 L30 DMX	Yes
911401739362	BCP382 36LED 27K 24V 17 L100	No	911401780142	BCP386 12LED RGB 24V 45 L30 DMX	Yes
911401739382	BCP382 36LED 27K 24V 40 L100	No	911401780152	BCP386 12LED RGB 24V A3 L30 DMX	Yes
911401739422	BCP382 36LED 30K 24V 17 L100	No	911401780172	BCP386 30LED 27K 24V 45 L50	No
911401739442	BCP382 36LED 30K 24V 40 L100	No	911401780192	BCP386 30LED 30K 24V 45 L50	No
911401739582	BCP382 9LED 27K 24V 17 L30	No	911401780212	BCP386 30LED 40K 24V 45 L50	No
911401739602	BCP382 9LED 27K 24V 40 L30	No	911401780232	BCP386 30LED 27K 24V 60 L50	No
911401739642	BCP382 9LED 30K 24V 17 L30	No	911401780252	BCP386 30LED 30K 24V 60 L50	No
911401739662	BCP382 9LED 30K 24V 40 L30	No	911401780272	BCP386 30LED 40K 24V 60 L50	No
911401738682	BCP381 12LED 40K 24V A2 L50	No	911401780292	BCP386 30LED 27K 24V A11 L50	No
911401738842	BCP381 24LED 40K 24V A2 L100	No	911401780312	BCP386 30LED 30K 24V A11 L50	No
911401739002	BCP381 6LED 40K 24V A2 L30	No	911401780332	BCP386 30LED 40K 24V A11 L50	No
911401738702	BCP381 12LED 40K 24V 40 L50	No	911401780342	BCP386 30LED RGBWW 24V 45 L50 DMX	Yes
911401738862	BCP381 24LED 40K 24V 40 L100	No	911401780352	BCP386 30LED RGBNW 24V 45 L50 DMX	Yes
911401739022	BCP381 6LED 40K 24V 40 L30	No	911401780362	BCP386 30LED RGBWW 24V A11 L50 DMX	Yes
911401739242	BCP382 18LED 40K 24V A2 L50	No	911401780372	BCP386 30LED RGBNW 24V A11 L50 DMX	Yes
911401739262	BCP382 18LED 40K 24V 17 L50	No	911401780382	BCP386 30LED RGB 24V 30 L50 DMX	Yes
911401739282	BCP382 18LED 40K 24V 40 L50	No	911401780392	BCP386 30LED RGB 24V 45 L50 DMX	Yes
911401739462	BCP382 36LED 40K 24V A2 L100	No	911401780402	BCP386 30LED RGB 24V A3 L50 DMX	Yes
911401739482	BCP382 36LED 40K 24V 17 L100	No	911401780422	BCP386 60LED 27K 24V 45 L100	No
911401739502	BCP382 36LED 40K 24V 40 L100	No	911401780442	BCP386 60LED 30K 24V 45 L100	No
911401739682	BCP382 9LED 40K 24V A2 L30	No	911401780462	BCP386 60LED 40K 24V 45 L100	No
911401739702	BCP382 9LED 40K 24V 17 L30	No	911401780482	BCP386 60LED 27K 24V 60 L100	No
911401739722	BCP382 9LED 40K 24V 40 L30	No	911401780502	BCP386 60LED 30K 24V 60 L100	No
911401739122	BCP382 18LED 27K 24V A2 L50	No	911401780522	BCP386 60LED 40K 24V 60 L100	No
911401739182	BCP382 18LED 30K 24V A2 L50	No	911401780542	BCP386 60LED 27K 24V A11 L100	No
911401739342	BCP382 36LED 27K 24V A2 L100	No	911401780562	BCP386 60LED 30K 24V A11 L100	No
911401739402	BCP382 36LED 30K 24V A2 L100	No	911401780582	BCP386 60LED 40K 24V A11 L100	No
911401739562	BCP382 9LED 27K 24V A2 L30	No	911401780592	BCP386 60LED RGBWW 24V 45 L100 DMX	Yes
911401739622	BCP382 9LED 30K 24V A2 L30	No	911401780602	BCP386 60LED RGBNW 24V 45 L100 DMX	Yes
911401751682	BCP385 6LED RGBNW 220V A7 L52 DMX	Yes	911401780612	BCP386 60LED RGBWW 24V A11 L100 DMX	Yes
911401752192	BCP385 12LED RGBNW 220V A7 L100 DMX	Yes	911401780622	BCP386 60LED RGBNW 24V A11 L100 DMX	Yes
911401779742	BCP386 12LED 27K 24V 45 L30	No	911401780632	BCP386 60LED RGB 24V 30 L100 DMX	Yes
911401779762	BCP386 12LED 30K 24V 45 L30	No	911401780642	BCP386 60LED RGB 24V 45 L100 DMX	Yes
911401779782	BCP386 12LED 40K 24V 45 L30	No	911401780652	BCP386 60LED RGB 24V A3 L100 DMX	Yes
911401779982	BCP386 12LED 27K 24V 60 L30	No			

General information (1/2)

Order Code	Full Product Name	Luminaire light beam spread	Light source color	Optical cover/ lens type	Driver included	Flammability mark	Light source replaceable	Number of gear units
911401735853	BCP383 6LED 27K 220V A2 L30 D2	-	Warm white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401735863	BCP383 6LED 27K 220V A2 L30 DMX D2	-	Warm white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401735873	BCP383 6LED 27K 220V 45 L30 D2	-	Warm white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401735883	BCP383 6LED 27K 220V 45 L30 DMX D2	-	Warm white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401735893	BCP383 6LED 30K 220V A2 L30 D2	-	Warm white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401735903	BCP383 6LED 30K 220V A2 L30 DMX D2	-	Warm white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401735913	BCP383 6LED 30K 220V 45 L30 D2	-	Warm white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401735923	BCP383 6LED 30K 220V 45 L30 DMX D2	-	Warm white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401735933	BCP383 6LED 40K 220V A2 L30 D2	-	Neutral white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401735943	BCP383 6LED 40K 220V A2 L30 DMX D2	-	Neutral white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401735953	BCP383 6LED 40K 220V 45 L30 D2	-	Neutral white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401735963	BCP383 6LED 40K 220V 45 L30 DMX D2	-	Neutral white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401735973	BCP383 9LED RGB 220V A2 L30 DMX D2	-	Red, green and blue	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401735983	BCP383 9LED RGB 220V 45 L30 DMX D2	-	Red, green and blue	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401735993	BCP383 12LED 27K 220V A2 L50 D2	-	Warm white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736003	BCP383 12LED 27K 220V A2 L50 DMX D2	-	Warm white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736013	BCP383 12LED 27K 220V 45 L50 D2	-	Warm white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736023	BCP383 12LED 27K 220V 45 L50 DMX D2	-	Warm white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736033	BCP383 12LED 30K 220V A2 L50 D2	-	Warm white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736043	BCP383 12LED 30K 220V A2 L50 DMX D2	-	Warm white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736053	BCP383 12LED 30K 220V 45 L50 D2	-	Warm white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736063	BCP383 12LED 30K 220V 45 L50 DMX D2	-	Warm white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736073	BCP383 12LED 40K 220V A2 L50 D2	-	Neutral white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736083	BCP383 12LED 40K 220V A2 L50 DMX D2	-	Neutral white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736093	BCP383 12LED 40K 220V 45 L50 D2	-	Neutral white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-

Order Code	Full Product Name	Luminaire light beam spread	Light source color	Optical cover/ lens type	Driver included	Flammability mark	Light source replaceable	Number of gear units
911401736103	BCP383 12LED 40K 220V 45 L50 DMX D2	-	Neutral white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736113	BCP383 18LED RGB 220V A2 L50 DMX D2	-	Red, green and blue	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736123	BCP383 18LED RGB 220V 45 L50 DMX D2	-	Red, green and blue	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736133	BCP383 24LED 27K 220V A2 L100 D2	-	Warm white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736143	BCP383 24LED 27K 220V A2 L100 DMX D2	-	Warm white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736153	BCP383 24LED 27K 220V 45 L100 D2	-	Warm white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736163	BCP383 24LED 27K 220V 45 L100 DMX D2	-	Warm white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736173	BCP383 24LED 30K 220V A2 L100 D2	-	Warm white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736183	BCP383 24LED 30K 220V A2 L100 DMX D2	-	Warm white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736193	BCP383 24LED 30K 220V 45 L100 D2	-	Warm white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736203	BCP383 24LED 30K 220V 45 L100 DMX D2	-	Warm white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736213	BCP383 24LED 40K 220V A2 L100 D2	-	Neutral white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736223	BCP383 24LED 40K 220V A2 L100 DMX D2	-	Neutral white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736233	BCP383 24LED 40K 220V 45 L100 D2	-	Neutral white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736243	BCP383 24LED 40K 220V 45 L100 DMX D2	-	Neutral white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736253	BCP383 36LED RGB 220V A2 L100 DMX D2	-	Red, green and blue	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736263	BCP383 36LED RGB 220V 45 L100 DMX D2	-	Red, green and blue	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736273	BCP384 9LED 27K 220V A2 L30 D2	-	Warm white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736283	BCP384 9LED 27K 220V A2 L30 DMX D2	-	Warm white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736293	BCP384 9LED 27K 220V 45 L30 D2	-	Warm white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736303	BCP384 9LED 27K 220V 45 L30 DMX D2	-	Warm white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736313	BCP384 9LED 30K 220V A2 L30 D2	-	Warm white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736323	BCP384 9LED 30K 220V A2 L30 DMX D2	-	Warm white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736333	BCP384 9LED 30K 220V 45 L30 D2	-	Warm white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736343	BCP384 9LED 30K 220V 45 L30 DMX D2	-	Warm white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-

Order Code	Full Product Name	Luminaire light beam spread	Light source color	Optical cover/ lens type	Driver included	Flammability mark	Light source replaceable	Number of gear units
911401736353	BCP384 9LED 40K 220V A2 L30 D2	-	Neutral white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736363	BCP384 9LED 40K 220V A2 L30 DMX D2	-	Neutral white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736373	BCP384 9LED 40K 220V 45 L30 D2	-	Neutral white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736383	BCP384 9LED 40K 220V 45 L30 DMX D2	-	Neutral white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736393	BCP384 12LED RGBNW 220V A2 L30 DMX D2	-	Red, green, blue and white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736403	BCP384 12LED RGBNW 220V 45 L30 DMX D2	-	Red, green, blue and white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736413	BCP384 12LED RGB 220V A2 L30 DMX D2	-	Red, green and blue	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736423	BCP384 12LED RGB 220V 45 L30 DMX D2	-	Red, green and blue	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736433	BCP384 18LED 27K 220V A2 L50 D2	-	Warm white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736443	BCP384 18LED 27K 220V A2 L50 DMX D2	-	Warm white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736453	BCP384 18LED 27K 220V 45 L50 D2	-	Warm white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736463	BCP384 18LED 27K 220V 45 L50 DMX D2	-	Warm white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736473	BCP384 18LED 30K 220V A2 L50 D2	-	Warm white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736483	BCP384 18LED 30K 220V A2 L50 DMX D2	-	Warm white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736493	BCP384 18LED 30K 220V 45 L50 D2	-	Warm white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736503	BCP384 18LED 30K 220V 45 L50 DMX D2	-	Warm white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736513	BCP384 18LED 40K 220V A2 L50 D2	-	Neutral white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736523	BCP384 18LED 40K 220V A2 L50 DMX D2	-	Neutral white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736533	BCP384 18LED 40K 220V 45 L50 D2	-	Neutral white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736543	BCP384 18LED 40K 220V 45 L50 DMX D2	-	Neutral white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736553	BCP384 24LED RGBNW 220V A2 L50 DMX D2	-	Red, green, blue and white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736563	BCP384 24LED RGBNW 220V 45 L50 DMX D2	-	Red, green, blue and white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736573	BCP384 24LED RGB 220V A2 L50 DMX D2	-	Red, green and blue	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736583	BCP384 24LED RGB 220V 45 L50 DMX D2	-	Red, green and blue	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736593	BCP384 36LED 27K 220V A2 L100 D2	-	Warm white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-

Order Code	Full Product Name	Luminaire light beam spread	Light source color	Optical cover/ lens type	Driver included	Flammability mark	Light source replaceable	Number of gear units
911401736603	BCP384 36LED 27K 220V A2 L100 DMX D2	-	Warm white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736613	BCP384 36LED 27K 220V 45 L100 D2	-	Warm white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736623	BCP384 36LED 27K 220V 45 L100 DMX D2	-	Warm white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736633	BCP384 36LED 30K 220V A2 L100 D2	-	Warm white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736643	BCP384 36LED 30K 220V A2 L100 DMX D2	-	Warm white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736653	BCP384 36LED 30K 220V 45 L100 D2	-	Warm white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736663	BCP384 36LED 30K 220V 45 L100 DMX D2	-	Warm white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736673	BCP384 36LED 40K 220V A2 L100 D2	-	Neutral white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736683	BCP384 36LED 40K 220V A2 L100 DMX D2	-	Neutral white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736693	BCP384 36LED 40K 220V 45 L100 D2	-	Neutral white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736703	BCP384 36LED 40K 220V 45 L100 DMX D2	-	Neutral white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736713	BCP384 48LED RGBNW 220V A2 L100 DMX D2	-	Red, green, blue and white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736723	BCP384 48LED RGBNW 220V 45 L100 DMX D2	-	Red, green, blue and white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736733	BCP384 48LED RGB 220V A2 L100 DMX D2	-	Red, green and blue	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736743	BCP384 48LED RGB 220V 45 L100 DMX D2	-	Red, green and blue	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736753	BCP385 24LED RGB 220V A1 L52 DMX D3	-	Red, green and blue	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736763	BCP385 30LED RGB 220V A1 L52 DMX D3	-	Red, green and blue	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736773	BCP385 24LED 27K 220V 7 L52 D3	-	Warm white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736783	BCP385 24LED 27K 220V 7 L52 DMX D3	-	Warm white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736793	BCP385 24LED 27K 220V A1 L52 D3	-	Warm white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736803	BCP385 24LED 27K 220V A1 L52 DMX D3	-	Warm white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736813	BCP385 24LED 30K 220V 7 L52 D3	-	Warm white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736823	BCP385 24LED 30K 220V 7 L52 DMX D3	-	Warm white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736833	BCP385 24LED 30K 220V A1 L52 D3	-	Warm white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736843	BCP385 24LED 30K 220V A1 L52 DMX D3	-	Warm white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-

Order Code	Full Product Name	Luminaire light beam spread	Light source color	Optical cover/ lens type	Driver included	Flammability mark	Light source replaceable	Number of gear units
911401736853	BCP385 24LED 40K 220V 7 L52 D3	-	Neutral white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736863	BCP385 24LED 40K 220V 7 L52 DMX D3	-	Neutral white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736873	BCP385 24LED 40K 220V A1 L52 D3	-	Neutral white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736883	BCP385 24LED 40K 220V A1 L52 DMX D3	-	Neutral white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736893	BCP385 30LED 27K 220V 7 L52 D3	-	Warm white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736903	BCP385 30LED 27K 220V 7 L52 DMX D3	-	Warm white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736913	BCP385 30LED 27K 220V A1 L52 D3	-	Warm white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736923	BCP385 30LED 27K 220V A1 L52 DMX D3	-	Warm white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736933	BCP385 30LED 30K 220V 7 L52 D3	-	Warm white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736943	BCP385 30LED 30K 220V 7 L52 DMX D3	-	Warm white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736953	BCP385 30LED 30K 220V A1 L52 D3	-	Warm white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736963	BCP385 30LED 30K 220V A1 L52 DMX D3	-	Warm white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736973	BCP385 30LED 40K 220V 7 L52 D3	-	Neutral white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736983	BCP385 30LED 40K 220V 7 L52 DMX D3	-	Neutral white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401736993	BCP385 30LED 40K 220V A1 L52 D3	-	Neutral white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401737003	BCP385 30LED 40K 220V A1 L52 DMX D3	-	Neutral white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401737013	BCP385 48LED 27K 220V 7 L100 D3	-	Warm white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401737023	BCP385 48LED 27K 220V 7 L100 DMX D3	-	Warm white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401737033	BCP385 48LED 27K 220V A1 L100 D3	-	Warm white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401737043	BCP385 48LED 27K 220V A1 L100 DMX D3	-	Warm white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401737053	BCP385 48LED 30K 220V 7 L100 D3	-	Warm white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401737063	BCP385 48LED 30K 220V 7 L100 DMX D3	-	Warm white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401737073	BCP385 48LED 30K 220V A1 L100 D3	-	Warm white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401737083	BCP385 48LED 30K 220V A1 L100 DMX D3	-	Warm white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401737093	BCP385 48LED 40K 220V 7 L100 D3	-	Neutral white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-

Order Code	Full Product Name	Luminaire light beam spread	Light source color	Optical cover/ lens type	Driver included	Flammability mark	Light source replaceable	Number of gear units
911401737103	BCP385 48LED 40K 220V 7 L100 DMX D3	-	Neutral white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401737113	BCP385 48LED 40K 220V A1 L100 D3	-	Neutral white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401737123	BCP385 48LED 40K 220V A1 L100 DMX D3	-	Neutral white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401737133	BCP385 60LED 27K 220V 7 L100 D3	-	Warm white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401737143	BCP385 60LED 27K 220V 7 L100 DMX D3	-	Warm white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401737153	BCP385 60LED 27K 220V A1 L100 D3	-	Warm white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401737163	BCP385 60LED 27K 220V A1 L100 DMX D3	-	Warm white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401737173	BCP385 60LED 30K 220V 7 L100 D3	-	Warm white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401737183	BCP385 60LED 30K 220V 7 L100 DMX D3	-	Warm white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401737193	BCP385 60LED 30K 220V A1 L100 D3	-	Warm white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401737203	BCP385 60LED 30K 220V A1 L100 DMX D3	-	Warm white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401737213	BCP385 60LED 40K 220V 7 L100 D3	-	Neutral white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401737223	BCP385 60LED 40K 220V 7 L100 DMX D3	-	Neutral white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401737233	BCP385 60LED 40K 220V A1 L100 D3	-	Neutral white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401737243	BCP385 60LED 40K 220V A1 L100 DMX D3	-	Neutral white	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401737253	BCP385 48LED RGB 220V A1 L100 DMX D3	-	Red, green and blue	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401737263	BCP385 60LED RGB 220V A1 L100 DMX D3	-	Red, green and blue	Tempered glass	Yes	For mounting on normally flammable surfaces	-	-
911401738602	BCP381 12LED 27K 24V A2 L50	16° x 35°	Warm white	Clear flat	No	For mounting on normally flammable surfaces	No	-
911401738642	BCP381 12LED 30K 24V A2 L50	16° x 35°	Warm white	Clear flat	No	For mounting on normally flammable surfaces	No	-
911401738762	BCP381 24LED 27K 24V A2 L100	16° x 35°	Warm white	Clear flat	No	For mounting on normally flammable surfaces	No	-
911401738802	BCP381 24LED 30K 24V A2 L100	16° x 35°	Warm white	Clear flat	No	For mounting on normally flammable surfaces	No	-
911401738922	BCP381 6LED 27K 24V A2 L30	16° x 35°	Warm white	Clear flat	No	For mounting on normally flammable surfaces	No	-
911401738962	BCP381 6LED 30K 24V A2 L30	16° x 35°	Warm white	Clear flat	No	For mounting on normally flammable surfaces	No	-
911401738622	BCP381 12LED 27K 24V 40 L50	40° x 40°	Warm white	Clear flat	No	For mounting on normally flammable surfaces	No	-
911401738662	BCP381 12LED 30K 24V 40 L50	40° x 40°	Warm white	Clear flat	No	For mounting on normally flammable surfaces	No	-

Order Code	Full Product Name	Luminaire light beam spread	Light source color	Optical cover/ lens type	Driver included	Flammability mark	Light source replaceable	Number of gear units
911401738782	BCP381 24LED 27K 24V 40 L100	40° x 40°	Warm white	Clear flat	No	For mounting on normally flammable surfaces	No	-
911401738822	BCP381 24LED 30K 24V 40 L100	40° x 40°	Warm white	Clear flat	No	For mounting on normally flammable surfaces	No	-
911401738942	BCP381 6LED 27K 24V 40 L30	40° x 40°	Warm white	Clear flat	No	For mounting on normally flammable surfaces	No	-
911401738982	BCP381 6LED 30K 24V 40 L30	40° x 40°	Warm white	Clear flat	No	For mounting on normally flammable surfaces	No	-
911401739142	BCP382 18LED 27K 24V 17 L50	17° x 17°	Warm white	Clear flat	No	For mounting on normally flammable surfaces	No	-
911401739162	BCP382 18LED 27K 24V 40 L50	40° x 40°	Warm white	Clear flat	No	For mounting on normally flammable surfaces	No	-
911401739202	BCP382 18LED 30K 24V 17 L50	17° x 17°	Warm white	Clear flat	No	For mounting on normally flammable surfaces	No	-
911401739222	BCP382 18LED 30K 24V 40 L50	40° x 40°	Warm white	Clear flat	No	For mounting on normally flammable surfaces	No	-
911401739362	BCP382 36LED 27K 24V 17 L100	17° x 17°	Warm white	Clear flat	No	For mounting on normally flammable surfaces	No	-
911401739382	BCP382 36LED 27K 24V 40 L100	40° x 40°	Warm white	Clear flat	No	For mounting on normally flammable surfaces	No	-
911401739422	BCP382 36LED 30K 24V 17 L100	17° x 17°	Warm white	Clear flat	No	For mounting on normally flammable surfaces	No	-
911401739442	BCP382 36LED 30K 24V 40 L100	40° x 40°	Warm white	Clear flat	No	For mounting on normally flammable surfaces	No	-
911401739582	BCP382 9LED 27K 24V 17 L30	17° x 17°	Warm white	Clear flat	No	For mounting on normally flammable surfaces	No	-
911401739602	BCP382 9LED 27K 24V 40 L30	40° x 40°	Warm white	Clear flat	No	For mounting on normally flammable surfaces	No	-
911401739642	BCP382 9LED 30K 24V 17 L30	17° x 17°	Warm white	Clear flat	No	For mounting on normally flammable surfaces	No	-
911401739662	BCP382 9LED 30K 24V 40 L30	40° x 40°	Warm white	Clear flat	No	For mounting on normally flammable surfaces	No	-
911401738682	BCP381 12LED 40K 24V A2 L50	16° x 35°	Neutral white	Clear flat	No	For mounting on normally flammable surfaces	No	-
911401738842	BCP381 24LED 40K 24V A2 L100	16° x 35°	Neutral white	Clear flat	No	For mounting on normally flammable surfaces	No	-
911401739002	BCP381 6LED 40K 24V A2 L30	16° x 35°	Neutral white	Clear flat	No	For mounting on normally flammable surfaces	No	-
911401738702	BCP381 12LED 40K 24V 40 L50	40° x 40°	Neutral white	Clear flat	No	For mounting on normally flammable surfaces	No	-
911401738862	BCP381 24LED 40K 24V 40 L100	40° x 40°	Neutral white	Clear flat	No	For mounting on normally flammable surfaces	No	-
911401739022	BCP381 6LED 40K 24V 40 L30	40° x 40°	Neutral white	Clear flat	No	For mounting on normally flammable surfaces	No	-
911401739242	BCP382 18LED 40K 24V A2 L50	16° x 35°	Neutral white	Clear flat	No	For mounting on normally flammable surfaces	No	-
911401739262	BCP382 18LED 40K 24V 17 L50	17° x 17°	Neutral white	Clear flat	No	For mounting on normally flammable surfaces	No	-
911401739282	BCP382 18LED 40K 24V 40 L50	40° x 40°	Neutral white	Clear flat	No	For mounting on normally flammable surfaces	No	-

Order Code	Full Product Name	Luminaire light beam spread	Light source color	Optical cover/ lens type	Driver included	Flammability mark	Light source replaceable	Number of gear units
911401739462	BCP382 36LED 40K 24V A2 L100	16° x 35°	Neutral white	Clear flat	No	For mounting on normally flammable surfaces	No	-
911401739482	BCP382 36LED 40K 24V 17 L100	17° x 17°	Neutral white	Clear flat	No	For mounting on normally flammable surfaces	No	-
911401739502	BCP382 36LED 40K 24V 40 L100	40° x 40°	Neutral white	Clear flat	No	For mounting on normally flammable surfaces	No	-
911401739682	BCP382 9LED 40K 24V A2 L30	16° x 35°	Neutral white	Clear flat	No	For mounting on normally flammable surfaces	No	-
911401739702	BCP382 9LED 40K 24V 17 L30	17° x 17°	Neutral white	Clear flat	No	For mounting on normally flammable surfaces	No	-
911401739722	BCP382 9LED 40K 24V 40 L30	40° x 40°	Neutral white	Clear flat	No	For mounting on normally flammable surfaces	No	-
911401739122	BCP382 18LED 27K 24V A2 L50	16° x 35°	Warm white	Clear flat	No	For mounting on normally flammable surfaces	No	-
911401739182	BCP382 18LED 30K 24V A2 L50	16° x 35°	Warm white	Clear flat	No	For mounting on normally flammable surfaces	No	-
911401739342	BCP382 36LED 27K 24V A2 L100	16° x 35°	Warm white	Clear flat	No	For mounting on normally flammable surfaces	No	-
911401739402	BCP382 36LED 30K 24V A2 L100	16° x 35°	Warm white	Clear flat	No	For mounting on normally flammable surfaces	No	-
911401739562	BCP382 9LED 27K 24V A2 L30	16° x 35°	Warm white	Clear flat	No	For mounting on normally flammable surfaces	No	-
911401739622	BCP382 9LED 30K 24V A2 L30	16° x 35°	Warm white	Clear flat	No	For mounting on normally flammable surfaces	No	-
911401751682	BCP385 6LED RGBNW 220V A7 L52 DMX	15° x 40°	Red, green, blue and white	Clear flat	Yes	For mounting on normally flammable surfaces	No	1 unit
911401752192	BCP385 12LED RGBNW 220V A7 L100 DMX	15° x 40°	Red, green, blue and white	Clear flat	Yes	For mounting on normally flammable surfaces	No	1 unit
911401779742	BCP386 12LED 27K 24V 45 L30	-	Warm white	Clear glass	No	-	-	-
911401779762	BCP386 12LED 30K 24V 45 L30	-	Warm white	Clear glass	No	-	-	-
911401779782	BCP386 12LED 40K 24V 45 L30	-	Neutral white	Clear glass	No	-	-	-
911401779982	BCP386 12LED 27K 24V 60 L30	-	Warm white	Clear glass	No	-	-	-
91140178000	BCP386 12LED 30K 24V 60 L30	-	Warm white	Clear glass	No	-	-	-
2								
911401780022	BCP386 12LED 40K 24V 60 L30	-	Neutral white	Clear glass	No	-	-	-
911401780042	BCP386 12LED 27K 24V A11 L30	-	Warm white	Clear glass	No	-	-	-
91140178006	BCP386 12LED 30K 24V A11 L30	-	Warm white	Clear glass	No	-	-	-
2								
91140178008	BCP386 12LED 40K 24V A11 L30	-	Neutral white	Clear glass	No	-	-	-
2								
91140178009	BCP386 12LED RGBWW 24V 45 L30 DMX	-	Red, green, blue and white	Clear glass	No	-	-	-
2								
911401780102	BCP386 12LED RGBNW 24V 45 L30 DMX	-	Red, green, blue and white	Clear glass	No	-	-	-
911401780112	BCP386 12LED RGBWW 24V A11 L30 DMX	-	Red, green, blue and white	Clear glass	No	-	-	-
911401780122	BCP386 12LED RGBNW 24V A11 L30 DMX	-	Red, green, blue and white	Clear glass	No	-	-	-
911401780132	BCP386 12LED RGB 24V 30 L30 DMX	-	Red, green and blue	Clear glass	No	-	-	-

Order Code	Full Product Name	Luminaire light beam spread	Light source color	Optical cover/ lens type	Driver included	Flammability mark	Light source replaceable	Number of gear units
911401780142	BCP386 12LED RGB 24V 45 L30 DMX	-	Red, green and blue	Clear glass	No	-	-	-
911401780152	BCP386 12LED RGB 24V A3 L30 DMX	-	Red, green and blue	Clear glass	No	-	-	-
911401780172	BCP386 30LED 27K 24V 45 L50	-	Warm white	Clear glass	No	-	-	-
911401780192	BCP386 30LED 30K 24V 45 L50	-	Warm white	Clear glass	No	-	-	-
911401780212	BCP386 30LED 40K 24V 45 L50	-	Neutral white	Clear glass	No	-	-	-
911401780232	BCP386 30LED 27K 24V 60 L50	-	Warm white	Clear glass	No	-	-	-
911401780252	BCP386 30LED 30K 24V 60 L50	-	Warm white	Clear glass	No	-	-	-
911401780272	BCP386 30LED 40K 24V 60 L50	-	Neutral white	Clear glass	No	-	-	-
911401780292	BCP386 30LED 27K 24V A11 L50	-	Warm white	Clear glass	No	-	-	-
911401780312	BCP386 30LED 30K 24V A11 L50	-	Warm white	Clear glass	No	-	-	-
911401780332	BCP386 30LED 40K 24V A11 L50	-	Neutral white	Clear glass	No	-	-	-
911401780342	BCP386 30LED RGBWW 24V 45 L50 DMX	-	Red, green, blue and white	Clear glass	No	-	-	-
911401780352	BCP386 30LED RGBNW 24V 45 L50 DMX	-	Red, green, blue and white	Clear glass	No	-	-	-
911401780362	BCP386 30LED RGBWW 24V A11 L50 DMX	-	Red, green, blue and white	Clear glass	No	-	-	-
911401780372	BCP386 30LED RGBNW 24V A11 L50 DMX	-	Red, green, blue and white	Clear glass	No	-	-	-
911401780382	BCP386 30LED RGB 24V 30 L50 DMX	-	Red, green and blue	Clear glass	No	-	-	-
911401780392	BCP386 30LED RGB 24V 45 L50 DMX	-	Red, green and blue	Clear glass	No	-	-	-
911401780402	BCP386 30LED RGB 24V A3 L50 DMX	-	Red, green and blue	Clear glass	No	-	-	-
911401780422	BCP386 60LED 27K 24V 45 L100	-	Warm white	Clear glass	No	-	-	-
911401780442	BCP386 60LED 30K 24V 45 L100	-	Warm white	Clear glass	No	-	-	-
911401780462	BCP386 60LED 40K 24V 45 L100	-	Neutral white	Clear glass	No	-	-	-
911401780482	BCP386 60LED 27K 24V 60 L100	-	Warm white	Clear glass	No	-	-	-
911401780502	BCP386 60LED 30K 24V 60 L100	-	Warm white	Clear glass	No	-	-	-
911401780522	BCP386 60LED 40K 24V 60 L100	-	Neutral white	Clear glass	No	-	-	-
911401780542	BCP386 60LED 27K 24V A11 L100	-	Warm white	Clear glass	No	-	-	-
911401780562	BCP386 60LED 30K 24V A11 L100	-	Warm white	Clear glass	No	-	-	-
911401780582	BCP386 60LED 40K 24V A11 L100	-	Neutral white	Clear glass	No	-	-	-
911401780592	BCP386 60LED RGBWW 24V 45 L100 DMX	-	Red, green, blue and white	Clear glass	No	-	-	-
911401780602	BCP386 60LED RGBNW 24V 45 L100 DMX	-	Red, green, blue and white	Clear glass	No	-	-	-
911401780612	BCP386 60LED RGBWW 24V A11 L100 DMX	-	Red, green, blue and white	Clear glass	No	-	-	-
911401780622	BCP386 60LED RGBNW 24V A11 L100 DMX	-	Red, green, blue and white	Clear glass	No	-	-	-
911401780632	BCP386 60LED RGB 24V 30 L100 DMX	-	Red, green and blue	Clear glass	No	-	-	-
911401780642	BCP386 60LED RGB 24V 45 L100 DMX	-	Red, green and blue	Clear glass	No	-	-	-
911401780652	BCP386 60LED RGB 24V A3 L100 DMX	-	Red, green and blue	Clear glass	No	-	-	-

General information (2/2)

Order Code	Full Product Name	Optic type	Order Code	Full Product Name	Optic type
911401735853	BCP383 6LED 27K 220V A2 L30 D2	-	911401736363	BCP384 9LED 40K 220V A2 L30 DMX D2	-
911401735863	BCP383 6LED 27K 220V A2 L30 DMX D2	-	911401736373	BCP384 9LED 40K 220V 45 L30 D2	-
911401735873	BCP383 6LED 27K 220V 45 L30 D2	-	911401736383	BCP384 9LED 40K 220V 45 L30 DMX D2	-
911401735883	BCP383 6LED 27K 220V 45 L30 DMX D2	-	911401736393	BCP384 12LED RGBNW 220V A2 L30 DMX D2	-
911401735893	BCP383 6LED 30K 220V A2 L30 D2	-	911401736403	BCP384 12LED RGBNW 220V 45 L30 DMX D2	-
911401735903	BCP383 6LED 30K 220V A2 L30 DMX D2	-	911401736413	BCP384 12LED RGB 220V A2 L30 DMX D2	-
911401735913	BCP383 6LED 30K 220V 45 L30 D2	-	911401736423	BCP384 12LED RGB 220V 45 L30 DMX D2	-
911401735923	BCP383 6LED 30K 220V 45 L30 DMX D2	-	911401736433	BCP384 18LED 27K 220V A2 L50 D2	-
911401735933	BCP383 6LED 40K 220V A2 L30 D2	-	911401736443	BCP384 18LED 27K 220V A2 L50 DMX D2	-
911401735943	BCP383 6LED 40K 220V A2 L30 DMX D2	-	911401736453	BCP384 18LED 27K 220V 45 L50 D2	-
911401735953	BCP383 6LED 40K 220V 45 L30 D2	-	911401736463	BCP384 18LED 27K 220V 45 L50 DMX D2	-
911401735963	BCP383 6LED 40K 220V 45 L30 DMX D2	-	911401736473	BCP384 18LED 30K 220V A2 L50 D2	-
911401735973	BCP383 9LED RGB 220V A2 L30 DMX D2	-	911401736483	BCP384 18LED 30K 220V A2 L50 DMX D2	-
911401735983	BCP383 9LED RGB 220V 45 L30 DMX D2	-	911401736493	BCP384 18LED 30K 220V 45 L50 D2	-
911401735993	BCP383 12LED 27K 220V A2 L50 D2	-	911401736503	BCP384 18LED 30K 220V 45 L50 DMX D2	-
911401736003	BCP383 12LED 27K 220V A2 L50 DMX D2	-	911401736513	BCP384 18LED 40K 220V A2 L50 D2	-
911401736013	BCP383 12LED 27K 220V 45 L50 D2	-	911401736523	BCP384 18LED 40K 220V A2 L50 DMX D2	-
911401736023	BCP383 12LED 27K 220V 45 L50 DMX D2	-	911401736533	BCP384 18LED 40K 220V 45 L50 D2	-
911401736033	BCP383 12LED 30K 220V A2 L50 D2	-	911401736543	BCP384 18LED 40K 220V 45 L50 DMX D2	-
911401736043	BCP383 12LED 30K 220V A2 L50 DMX D2	-	911401736553	BCP384 24LED RGBNW 220V A2 L50 DMX D2	-
911401736053	BCP383 12LED 30K 220V 45 L50 D2	-	911401736563	BCP384 24LED RGBNW 220V 45 L50 DMX D2	-
911401736063	BCP383 12LED 30K 220V 45 L50 DMX D2	-	911401736573	BCP384 24LED RGB 220V A2 L50 DMX D2	-
911401736073	BCP383 12LED 40K 220V A2 L50 D2	-	911401736583	BCP384 24LED RGB 220V 45 L50 DMX D2	-
911401736083	BCP383 12LED 40K 220V A2 L50 DMX D2	-	911401736593	BCP384 36LED 27K 220V A2 L100 D2	-
911401736093	BCP383 12LED 40K 220V 45 L50 D2	-	911401736603	BCP384 36LED 27K 220V A2 L100 DMX D2	-
911401736103	BCP383 12LED 40K 220V 45 L50 DMX D2	-	911401736613	BCP384 36LED 27K 220V 45 L100 D2	-
911401736113	BCP383 18LED RGB 220V A2 L50 DMX D2	-	911401736623	BCP384 36LED 27K 220V 45 L100 DMX D2	-
911401736123	BCP383 18LED RGB 220V 45 L50 DMX D2	-	911401736633	BCP384 36LED 30K 220V A2 L100 D2	-
911401736133	BCP383 24LED 27K 220V A2 L100 D2	-	911401736643	BCP384 36LED 30K 220V A2 L100 DMX D2	-
911401736143	BCP383 24LED 27K 220V A2 L100 DMX D2	-	911401736653	BCP384 36LED 30K 220V 45 L100 D2	-
911401736153	BCP383 24LED 27K 220V 45 L100 D2	-	911401736663	BCP384 36LED 30K 220V 45 L100 DMX D2	-
911401736163	BCP383 24LED 27K 220V 45 L100 DMX D2	-	911401736673	BCP384 36LED 40K 220V A2 L100 D2	-
911401736173	BCP383 24LED 30K 220V A2 L100 D2	-	911401736683	BCP384 36LED 40K 220V A2 L100 DMX D2	-
911401736183	BCP383 24LED 30K 220V A2 L100 DMX D2	-	911401736693	BCP384 36LED 40K 220V 45 L100 D2	-
911401736193	BCP383 24LED 30K 220V 45 L100 D2	-	911401736703	BCP384 36LED 40K 220V 45 L100 DMX D2	-
911401736203	BCP383 24LED 30K 220V 45 L100 DMX D2	-	911401736713	BCP384 48LED RGBNW 220V A2 L100 DMX D2	-
911401736213	BCP383 24LED 40K 220V A2 L100 D2	-	911401736723	BCP384 48LED RGBNW 220V 45 L100 DMX D2	-
911401736223	BCP383 24LED 40K 220V A2 L100 DMX D2	-	911401736733	BCP384 48LED RGB 220V A2 L100 DMX D2	-
911401736233	BCP383 24LED 40K 220V 45 L100 D2	-	911401736743	BCP384 48LED RGB 220V 45 L100 DMX D2	-
911401736243	BCP383 24LED 40K 220V 45 L100 DMX D2	-	911401736753	BCP385 24LED RGB 220V A1 L52 DMX D3	-
911401736253	BCP383 36LED RGB 220V A2 L100 DMX D2	-	911401736763	BCP385 30LED RGB 220V A1 L52 DMX D3	-
911401736263	BCP383 36LED RGB 220V 45 L100 DMX D2	-	911401736773	BCP385 24LED 27K 220V 7 L52 D3	-
911401736273	BCP384 9LED 27K 220V A2 L30 D2	-	911401736783	BCP385 24LED 27K 220V 7 L52 DMX D3	-
911401736283	BCP384 9LED 27K 220V A2 L30 DMX D2	-	911401736793	BCP385 24LED 27K 220V A1 L52 D3	-
911401736293	BCP384 9LED 27K 220V 45 L30 D2	-	911401736803	BCP385 24LED 27K 220V A1 L52 DMX D3	-
911401736303	BCP384 9LED 27K 220V 45 L30 DMX D2	-	911401736813	BCP385 24LED 30K 220V 7 L52 D3	-
911401736313	BCP384 9LED 30K 220V A2 L30 D2	-	911401736823	BCP385 24LED 30K 220V 7 L52 DMX D3	-
911401736323	BCP384 9LED 30K 220V A2 L30 DMX D2	-	911401736833	BCP385 24LED 30K 220V A1 L52 D3	-
911401736333	BCP384 9LED 30K 220V 45 L30 D2	-	911401736843	BCP385 24LED 30K 220V A1 L52 DMX D3	-
911401736343	BCP384 9LED 30K 220V 45 L30 DMX D2	-	911401736853	BCP385 24LED 40K 220V 7 L52 D3	-
911401736353	BCP384 9LED 40K 220V A2 L30 D2	-	911401736863	BCP385 24LED 40K 220V 7 L52 DMX D3	-

Order Code	Full Product Name	Optic type	Order Code	Full Product Name	Optic type
911401736873	BCP385 24LED 40K 220V A1 L52 D3	-	911401739142	BCP382 18LED 27K 24V 17 L50	-
911401736883	BCP385 24LED 40K 220V A1 L52 DMX D3	-	911401739162	BCP382 18LED 27K 24V 40 L50	-
911401736893	BCP385 30LED 27K 220V 7 L52 D3	-	911401739202	BCP382 18LED 30K 24V 17 L50	-
911401736903	BCP385 30LED 27K 220V 7 L52 DMX D3	-	911401739222	BCP382 18LED 30K 24V 40 L50	-
911401736913	BCP385 30LED 27K 220V A1 L52 D3	-	911401739362	BCP382 36LED 27K 24V 17 L100	-
911401736923	BCP385 30LED 27K 220V A1 L52 DMX D3	-	911401739382	BCP382 36LED 27K 24V 40 L100	-
911401736933	BCP385 30LED 30K 220V 7 L52 D3	-	911401739422	BCP382 36LED 30K 24V 17 L100	-
911401736943	BCP385 30LED 30K 220V 7 L52 DMX D3	-	911401739442	BCP382 36LED 30K 24V 40 L100	-
911401736953	BCP385 30LED 30K 220V A1 L52 D3	-	911401739582	BCP382 9LED 27K 24V 17 L30	-
911401736963	BCP385 30LED 30K 220V A1 L52 DMX D3	-	911401739602	BCP382 9LED 27K 24V 40 L30	-
911401736973	BCP385 30LED 40K 220V 7 L52 D3	-	911401739642	BCP382 9LED 30K 24V 17 L30	-
911401736983	BCP385 30LED 40K 220V 7 L52 DMX D3	-	911401739662	BCP382 9LED 30K 24V 40 L30	-
911401736993	BCP385 30LED 40K 220V A1 L52 D3	-	911401738682	BCP381 12LED 40K 24V A2 L50	-
911401737003	BCP385 30LED 40K 220V A1 L52 DMX D3	-	911401738842	BCP381 24LED 40K 24V A2 L100	-
911401737013	BCP385 48LED 27K 220V 7 L100 D3	-	911401739002	BCP381 6LED 40K 24V A2 L30	-
911401737023	BCP385 48LED 27K 220V 7 L100 DMX D3	-	911401738702	BCP381 12LED 40K 24V 40 L50	-
911401737033	BCP385 48LED 27K 220V A1 L100 D3	-	911401738862	BCP381 24LED 40K 24V 40 L100	-
911401737043	BCP385 48LED 27K 220V A1 L100 DMX D3	-	911401739022	BCP381 6LED 40K 24V 40 L30	-
911401737053	BCP385 48LED 30K 220V 7 L100 D3	-	911401739242	BCP382 18LED 40K 24V A2 L50	-
911401737063	BCP385 48LED 30K 220V 7 L100 DMX D3	-	911401739262	BCP382 18LED 40K 24V 17 L50	-
911401737073	BCP385 48LED 30K 220V A1 L100 D3	-	911401739282	BCP382 18LED 40K 24V 40 L50	-
911401737083	BCP385 48LED 30K 220V A1 L100 DMX D3	-	911401739462	BCP382 36LED 40K 24V A2 L100	-
911401737093	BCP385 48LED 40K 220V 7 L100 D3	-	911401739482	BCP382 36LED 40K 24V 17 L100	-
911401737103	BCP385 48LED 40K 220V 7 L100 DMX D3	-	911401739502	BCP382 36LED 40K 24V 40 L100	-
911401737113	BCP385 48LED 40K 220V A1 L100 D3	-	911401739682	BCP382 9LED 40K 24V A2 L30	-
911401737123	BCP385 48LED 40K 220V A1 L100 DMX D3	-	911401739702	BCP382 9LED 40K 24V 17 L30	-
911401737133	BCP385 60LED 27K 220V 7 L100 D3	-	911401739722	BCP382 9LED 40K 24V 40 L30	-
911401737143	BCP385 60LED 27K 220V 7 L100 DMX D3	-	911401739122	BCP382 18LED 27K 24V A2 L50	-
911401737153	BCP385 60LED 27K 220V A1 L100 D3	-	911401739182	BCP382 18LED 30K 24V A2 L50	-
911401737163	BCP385 60LED 27K 220V A1 L100 DMX D3	-	911401739342	BCP382 36LED 27K 24V A2 L100	-
911401737173	BCP385 60LED 30K 220V 7 L100 D3	-	911401739402	BCP382 36LED 30K 24V A2 L100	-
911401737183	BCP385 60LED 30K 220V 7 L100 DMX D3	-	911401739562	BCP382 9LED 27K 24V A2 L30	-
911401737193	BCP385 60LED 30K 220V A1 L100 D3	-	911401739622	BCP382 9LED 30K 24V A2 L30	-
911401737203	BCP385 60LED 30K 220V A1 L100 DMX D3	-	911401751682	BCP385 6LED RGBNW 220V A7 L52 DMX	Asymmetric al
911401737213	BCP385 60LED 40K 220V 7 L100 D3	-	911401752192	BCP385 12LED RGBNW 220V A7 L100 DMX	Asymmetric al
911401737223	BCP385 60LED 40K 220V 7 L100 DMX D3	-	911401779742	BCP386 12LED 27K 24V 45 L30	-
911401737233	BCP385 60LED 40K 220V A1 L100 D3	-	911401779762	BCP386 12LED 30K 24V 45 L30	-
911401737243	BCP385 60LED 40K 220V A1 L100 DMX D3	-	911401779782	BCP386 12LED 40K 24V 45 L30	-
911401737253	BCP385 48LED RGB 220V A1 L100 DMX D3	-	911401779982	BCP386 12LED 27K 24V 60 L30	-
911401737263	BCP385 60LED RGB 220V A1 L100 DMX D3	-	911401780002	BCP386 12LED 30K 24V 60 L30	-
911401738602	BCP381 12LED 27K 24V A2 L50	-	911401780022	BCP386 12LED 40K 24V 60 L30	-
911401738642	BCP381 12LED 30K 24V A2 L50	-	911401780042	BCP386 12LED 27K 24V A11 L30	-
911401738762	BCP381 24LED 27K 24V A2 L100	-	911401780062	BCP386 12LED 30K 24V A11 L30	-
911401738802	BCP381 24LED 30K 24V A2 L100	-	911401780082	BCP386 12LED 40K 24V A11 L30	-
911401738922	BCP381 6LED 27K 24V A2 L30	-	911401780092	BCP386 12LED RGBWW 24V 45 L30 DMX	-
911401738962	BCP381 6LED 30K 24V A2 L30	-	911401780102	BCP386 12LED RGBNW 24V 45 L30 DMX	-
911401738622	BCP381 12LED 27K 24V 40 L50	-	911401780112	BCP386 12LED RGBWW 24V A11 L30 DMX	-
911401738662	BCP381 12LED 30K 24V 40 L50	-	911401780122	BCP386 12LED RGBNW 24V A11 L30 DMX	-
911401738782	BCP381 24LED 27K 24V 40 L100	-	911401780132	BCP386 12LED RGB 24V 30 L30 DMX	-
911401738822	BCP381 24LED 30K 24V 40 L100	-	911401780142	BCP386 12LED RGB 24V 45 L30 DMX	-
911401738942	BCP381 6LED 27K 24V 40 L30	-			
911401738982	BCP381 6LED 30K 24V 40 L30	-			

Order Code	Full Product Name	Optic type
911401780152	BCP386 12LED RGB 24V A3 L30 DMX	-
911401780172	BCP386 30LED 27K 24V 45 L50	-
911401780192	BCP386 30LED 30K 24V 45 L50	-
911401780212	BCP386 30LED 40K 24V 45 L50	-
911401780232	BCP386 30LED 27K 24V 60 L50	-
911401780252	BCP386 30LED 30K 24V 60 L50	-
911401780272	BCP386 30LED 40K 24V 60 L50	-
911401780292	BCP386 30LED 27K 24V A11 L50	-
911401780312	BCP386 30LED 30K 24V A11 L50	-
911401780332	BCP386 30LED 40K 24V A11 L50	-
911401780342	BCP386 30LED RGBWW 24V 45 L50 DMX	-
911401780352	BCP386 30LED RGBNW 24V 45 L50 DMX	-
911401780362	BCP386 30LED RGBWW 24V A11 L50 DMX	-
911401780372	BCP386 30LED RGBNW 24V A11 L50 DMX	-
911401780382	BCP386 30LED RGB 24V 30 L50 DMX	-
911401780392	BCP386 30LED RGB 24V 45 L50 DMX	-
911401780402	BCP386 30LED RGB 24V A3 L50 DMX	-

Order Code	Full Product Name	Optic type
911401780422	BCP386 60LED 27K 24V 45 L100	-
911401780442	BCP386 60LED 30K 24V 45 L100	-
911401780462	BCP386 60LED 40K 24V 45 L100	-
911401780482	BCP386 60LED 27K 24V 60 L100	-
911401780502	BCP386 60LED 30K 24V 60 L100	-
911401780522	BCP386 60LED 40K 24V 60 L100	-
911401780542	BCP386 60LED 27K 24V A11 L100	-
911401780562	BCP386 60LED 30K 24V A11 L100	-
911401780582	BCP386 60LED 40K 24V A11 L100	-
911401780592	BCP386 60LED RGBWW 24V 45 L100 DMX	-
911401780602	BCP386 60LED RGBNW 24V 45 L100 DMX	-
911401780612	BCP386 60LED RGBWW 24V A11 L100 DMX	-
911401780622	BCP386 60LED RGBNW 24V A11 L100 DMX	-
911401780632	BCP386 60LED RGB 24V 30 L100 DMX	-
911401780642	BCP386 60LED RGB 24V 45 L100 DMX	-
911401780652	BCP386 60LED RGB 24V A3 L100 DMX	-

Initial performance (IEC compliant)

Order Code	Full Product Name	Init. Corr. Color Temperature	Init. Color	
			Rendering Index	Initial luminous flux
911401735853	BCP383 6LED 27K 220V A2 L30 D2	-	80	598 lm
911401735863	BCP383 6LED 27K 220V A2 L30 DMX D2	-	80	586 lm
911401735873	BCP383 6LED 27K 220V 45 L30 D2	-	80	670 lm
911401735883	BCP383 6LED 27K 220V 45 L30 DMX D2	-	80	656 lm
911401735893	BCP383 6LED 30K 220V A2 L30 D2	-	80	640 lm
911401735903	BCP383 6LED 30K 220V A2 L30 DMX D2	-	80	627 lm
911401735913	BCP383 6LED 30K 220V 45 L30 D2	-	80	717 lm
911401735923	BCP383 6LED 30K 220V 45 L30 DMX D2	-	80	702 lm
911401735933	BCP383 6LED 40K 220V A2 L30 D2	-	80	730 lm
911401735943	BCP383 6LED 40K 220V A2 L30 DMX D2	-	80	715 lm
911401735953	BCP383 6LED 40K 220V 45 L30 D2	4000 K	80	817 lm
911401735963	BCP383 6LED 40K 220V 45 L30 DMX D2	-	80	801 lm
911401735973	BCP383 9LED RGB 220V A2 L30 DMX D2	-	-	603 lm
911401735983	BCP383 9LED RGB 220V 45 L30 DMX D2	-	-	675 lm

Order Code	Full Product Name	Init. Corr. Color Temperature	Init. Color	
			Rendering Index	Initial luminous flux
911401735993	BCP383 12LED 27K 220V A2 L50 D2	2700 K	80	1184 lm
911401736003	BCP383 12LED 27K 220V A2 L50 DMX D2	-	80	1160 lm
911401736013	BCP383 12LED 27K 220V 45 L50 D2	-	80	1426 lm
911401736023	BCP383 12LED 27K 220V 45 L50 DMX D2	2700 K	80	1300 lm
911401736033	BCP383 12LED 30K 220V A2 L50 D2	3000 K	80	1267 lm
911401736043	BCP383 12LED 30K 220V A2 L50 DMX D2	3000 K	80	1242 lm
911401736053	BCP383 12LED 30K 220V 45 L50 D2	-	80	1419 lm
911401736063	BCP383 12LED 30K 220V 45 L50 DMX D2	3000 K	80	1391 lm
911401736073	BCP383 12LED 40K 220V A2 L50 D2	-	80	1445 lm
911401736083	BCP383 12LED 40K 220V A2 L50 DMX D2	4000 K	80	1416 lm
911401736093	BCP383 12LED 40K 220V 45 L50 D2	4000 K	80	1618 lm
911401736103	BCP383 12LED 40K 220V 45 L50 DMX D2	4000 K	80	1586 lm
911401736113	BCP383 18LED RGB 220V A2 L50 DMX D2	-	-	1194 lm
911401736123	BCP383 18LED RGB 220V 45 L50 DMX D2	-	-	1337 lm

Order Code	Full Product Name	Init. Corr. Color Temperature	Init. Color	
			Rendering Index	Initial luminous flux
911401736133	BCP383 24LED 27K 220V A2 L100 D2	-	80	2345 lm
911401736143	BCP383 24LED 27K 220V A2 L100 DMX D2	-	80	2298 lm
911401736153	BCP383 24LED 27K 220V 45 L100 D2	2700 K	80	2626 lm
911401736163	BCP383 24LED 27K 220V 45 L100 DMX D2	-	80	2574 lm
911401736173	BCP383 24LED 30K 220V A2 L100 D2	3000 K	80	2509 lm
911401736183	BCP383 24LED 30K 220V A2 L100 DMX D2	-	80	2459 lm
911401736193	BCP383 24LED 30K 220V 45 L100 D2	-	80	2810 lm
911401736203	BCP383 24LED 30K 220V 45 L100 DMX D2	-	80	2754 lm
911401736213	BCP383 24LED 40K 220V A2 L100 D2	-	80	2861 lm
911401736223	BCP383 24LED 40K 220V A2 L100 DMX D2	-	80	2803 lm
911401736233	BCP383 24LED 40K 220V 45 L100 D2	-	80	3204 lm
911401736243	BCP383 24LED 40K 220V 45 L100 DMX D2	-	80	3140 lm
911401736253	BCP383 36LED RGB 220V A2 L100 DMX D2	-	-	2263 lm
911401736263	BCP383 36LED RGB 220V 45 L100 DMX D2	-	-	2535 lm
911401736273	BCP384 9LED 27K 220V A2 L30 D2	2700 K	80	1020 lm
911401736283	BCP384 9LED 27K 220V A2 L30 DMX D2	2700 K	80	1000 lm
911401736293	BCP384 9LED 27K 220V 45 L30 D2	2700 K	80	1051 lm
911401736303	BCP384 9LED 27K 220V 45 L30 DMX D2	2700 K	80	1030 lm
911401736313	BCP384 9LED 30K 220V A2 L30 D2	3000 K	80	1091 lm
911401736323	BCP384 9LED 30K 220V A2 L30 DMX D2	3000 K	80	1070 lm
911401736333	BCP384 9LED 30K 220V 45 L30 D2	3000 K	80	1124 lm
911401736343	BCP384 9LED 30K 220V 45 L30 DMX D2	3000 K	80	1102 lm
911401736353	BCP384 9LED 40K 220V A2 L30 D2	4000 K	80	1244 lm
911401736363	BCP384 9LED 40K 220V A2 L30 DMX D2	4000 K	80	1220 lm
911401736373	BCP384 9LED 40K 220V 45 L30 D2	4000 K	80	1282 lm

Order Code	Full Product Name	Init. Corr. Color Temperature	Init. Color	
			Rendering Index	Initial luminous flux
911401736383	BCP384 9LED 40K 220V 45 L30 DMX D2	4000 K	80	1256 lm
911401736393	BCP384 12LED RGBNW 220V A2 L30 DMX D2	-	-	787 lm
911401736403	BCP384 12LED RGBNW 220V 45 L30 DMX D2	-	-	810 lm
911401736413	BCP384 12LED RGB 220V A2 L30 DMX D2	-	-	688 lm
911401736423	BCP384 12LED RGB 220V 45 L30 DMX D2	-	-	708 lm
911401736433	BCP384 18LED 27K 220V A2 L50 D2	-	80	2000 lm
911401736443	BCP384 18LED 27K 220V A2 L50 DMX D2	-	80	1960 lm
911401736453	BCP384 18LED 27K 220V 45 L50 D2	-	80	2060 lm
911401736463	BCP384 18LED 27K 220V 45 L50 DMX D2	-	80	2019 lm
911401736473	BCP384 18LED 30K 220V A2 L50 D2	-	80	2140 lm
911401736483	BCP384 18LED 30K 220V A2 L50 DMX D2	-	80	2097 lm
911401736493	BCP384 18LED 30K 220V 45 L50 D2	3000 K	80	2204 lm
911401736503	BCP384 18LED 30K 220V 45 L50 DMX D2	3000 K	80	2160 lm
911401736513	BCP384 18LED 40K 220V A2 L50 D2	-	80	2440 lm
911401736523	BCP384 18LED 40K 220V A2 L50 DMX D2	4000 K	80	2391 lm
911401736533	BCP384 18LED 40K 220V 45 L50 D2	4000 K	80	2513 lm
911401736543	BCP384 18LED 40K 220V 45 L50 DMX D2	-	80	2463 lm
911401736553	BCP384 24LED RGBNW 220V A2 L50 DMX D2	-	-	1574 lm
911401736563	BCP384 24LED RGBNW 220V 45 L50 DMX D2	-	-	1621 lm
911401736573	BCP384 24LED RGB 220V A2 L50 DMX D2	-	-	1376 lm
911401736583	BCP384 24LED RGB 220V 45 L50 DMX D2	-	-	1417 lm
911401736593	BCP384 36LED 27K 220V A2 L100 D2	-	80	4001 lm
911401736603	BCP384 36LED 27K 220V A2 L100 DMX D2	2700 K	80	3921 lm
911401736613	BCP384 36LED 27K 220V 45 L100 D2	2700 K	80	4121 lm
911401736623	BCP384 36LED 27K 220V 45 L100 DMX D2	2700 K	80	4039 lm

Order Code	Full Product Name	Init. Corr. Color Temperature	Init. Color	
			Rendering Index	Initial luminous flux
911401736633	BCP384 36LED 30K 220V A2 L100 D2	3000 K	80	4281 lm
911401736643	BCP384 36LED 30K 220V A2 L100 DMX D2	3000 K	80	4195 lm
911401736653	BCP384 36LED 30K 220V 45 L100 D2	3000 K	80	4410 lm
911401736663	BCP384 36LED 30K 220V 45 L100 DMX D2	3000 K	80	4321 lm
911401736673	BCP384 36LED 40K 220V A2 L100 D2	4000 K	80	4881 lm
911401736683	BCP384 36LED 40K 220V A2 L100 DMX D2	4000 K	80	4784 lm
911401736693	BCP384 36LED 40K 220V 45 L100 D2	4000 K	80	5028 lm
911401736703	BCP384 36LED 40K 220V 45 L100 DMX D2	4000 K	80	4927 lm
911401736713	BCP384 48LED RGBNW 220V A2 L100 DMX D2	-	-	3164 lm
911401736723	BCP384 48LED RGBNW 220V 45 L100 DMX D2	-	-	3259 lm
911401736733	BCP384 48LED RGB 220V A2 L100 DMX D2	-	-	2751 lm
911401736743	BCP384 48LED RGB 220V 45 L100 DMX D2	-	-	2834 lm
911401736753	BCP385 24LED RGB 220V A1 L52 DMX D3	-	-	1693 lm
911401736763	BCP385 30LED RGB 220V A1 L52 DMX D3	-	-	2545 lm
911401736773	BCP385 24LED 27K 220V 7 L52 D3	2700 K	80	2907 lm
911401736783	BCP385 24LED 27K 220V 7 L52 DMX D3	2700 K	80	2849 lm
911401736793	BCP385 24LED 27K 220V A1 L52 D3	2700 K	80	2698 lm
911401736803	BCP385 24LED 27K 220V A1 L52 DMX D3	2700 K	80	2644 lm
911401736813	BCP385 24LED 30K 220V 7 L52 D3	3000 K	80	3111 lm
911401736823	BCP385 24LED 30K 220V 7 L52 DMX D3	3000 K	80	3048 lm
911401736833	BCP385 24LED 30K 220V A1 L52 D3	3000 K	80	2887 lm
911401736843	BCP385 24LED 30K 220V A1 L52 DMX D3	3000 K	80	2829 lm
911401736853	BCP385 24LED 40K 220V 7 L52 D3	4000 K	80	3547 lm
911401736863	BCP385 24LED 40K 220V 7 L52 DMX D3	4000 K	80	3476 lm
911401736873	BCP385 24LED 40K 220V A1 L52 D3	4000 K	80	3291 lm

Order Code	Full Product Name	Init. Corr. Color Temperature	Init. Color	
			Rendering Index	Initial luminous flux
911401736883	BCP385 24LED 40K 220V A1 L52 DMX D3	4000 K	80	3226 lm
911401736893	BCP385 30LED 27K 220V 7 L52 D3	2700 K	80	3634 lm
911401736903	BCP385 30LED 27K 220V 7 L52 DMX D3	2700 K	80	3561 lm
911401736913	BCP385 30LED 27K 220V A1 L52 D3	2700 K	80	3372 lm
911401736923	BCP385 30LED 27K 220V A1 L52 DMX D3	2700 K	80	3305 lm
911401736933	BCP385 30LED 30K 220V 7 L52 D3	3000 K	80	3888 lm
911401736943	BCP385 30LED 30K 220V 7 L52 DMX D3	3000 K	80	3811 lm
911401736953	BCP385 30LED 30K 220V A1 L52 D3	3000 K	80	3608 lm
911401736963	BCP385 30LED 30K 220V A1 L52 DMX D3	3000 K	80	3536 lm
911401736973	BCP385 30LED 40K 220V 7 L52 D3	4000 K	80	4433 lm
911401736983	BCP385 30LED 40K 220V 7 L52 DMX D3	4000 K	80	4345 lm
911401736993	BCP385 30LED 40K 220V A1 L52 D3	4000 K	80	4114 lm
911401737003	BCP385 30LED 40K 220V A1 L52 DMX D3	4000 K	80	4032 lm
911401737013	BCP385 48LED 27K 220V 7 L100 D3	2700 K	80	5814 lm
911401737023	BCP385 48LED 27K 220V 7 L100 DMX D3	2700 K	80	5698 lm
911401737033	BCP385 48LED 27K 220V A1 L100 D3	2700 K	80	5396 lm
911401737043	BCP385 48LED 27K 220V A1 L100 DMX D3	2700 K	80	5288 lm
911401737053	BCP385 48LED 30K 220V 7 L100 D3	3000 K	80	6221 lm
911401737063	BCP385 48LED 30K 220V 7 L100 DMX D3	3000 K	80	6097 lm
911401737073	BCP385 48LED 30K 220V A1 L100 D3	3000 K	80	5773 lm
911401737083	BCP385 48LED 30K 220V A1 L100 DMX D3	3000 K	80	5658 lm
911401737093	BCP385 48LED 40K 220V 7 L100 D3	4000 K	80	7094 lm
911401737103	BCP385 48LED 40K 220V 7 L100 DMX D3	4000 K	80	6952 lm
911401737113	BCP385 48LED 40K 220V A1 L100 D3	4000 K	80	6583 lm
911401737123	BCP385 48LED 40K 220V A1 L100 DMX D3	4000 K	80	6451 lm

Order Code	Full Product Name	Init. Corr. Color Temperature	Init. Color	
			Rendering Index	Initial luminous flux
911401737133	BCP385 60LED 27K 220V 7 L100 D3	2700 K	80	7268 lm
911401737143	BCP385 60LED 27K 220V 7 L100 DMX D3	2700 K	80	7123 lm
911401737153	BCP385 60LED 27K 220V A1 L100 D3	2700 K	80	6745 lm
911401737163	BCP385 60LED 27K 220V A1 L100 DMX D3	2700 K	80	6610 lm
911401737173	BCP385 60LED 30K 220V 7 L100 D3	3000 K	80	7777 lm
911401737183	BCP385 60LED 30K 220V 7 L100 DMX D3	3000 K	80	7621 lm
911401737193	BCP385 60LED 30K 220V A1 L100 D3	3000 K	80	7217 lm
911401737203	BCP385 60LED 30K 220V A1 L100 DMX D3	3000 K	80	7072 lm
911401737213	BCP385 60LED 40K 220V 7 L100 D3	4000 K	80	8867 lm
911401737223	BCP385 60LED 40K 220V 7 L100 DMX D3	4000 K	80	8690 lm
911401737233	BCP385 60LED 40K 220V A1 L100 D3	4000 K	80	8229 lm
911401737243	BCP385 60LED 40K 220V A1 L100 DMX D3	4000 K	80	8064 lm
911401737253	BCP385 48LED RGB 220V A1 L100 DMX D3	-	-	3386 lm
911401737263	BCP385 60LED RGB 220V A1 L100 DMX D3	-	-	5090 lm
911401738602	BCP381 12LED 27K 24V A2 L50	2700 K	80	848 lm
911401738642	BCP381 12LED 30K 24V A2 L50	3000 K	80	848 lm
911401738762	BCP381 24LED 27K 24V A2 L100	2700 K	80	1663 lm
911401738802	BCP381 24LED 30K 24V A2 L100	3000 K	80	1663 lm
911401738922	BCP381 6LED 27K 24V A2 L30	2700 K	80	432 lm
911401738962	BCP381 6LED 30K 24V A2 L30	3000 K	80	432 lm
911401738622	BCP381 12LED 27K 24V 40 L50	2700 K	80	842 lm
911401738662	BCP381 12LED 30K 24V 40 L50	3000 K	80	842 lm
911401738782	BCP381 24LED 27K 24V 40 L100	2700 K	80	1651 lm
911401738822	BCP381 24LED 30K 24V 40 L100	3000 K	80	1651 lm
911401738942	BCP381 6LED 27K 24V 40 L30	2700 K	80	430 lm

Order Code	Full Product Name	Init. Corr. Color Temperature	Init. Color	
			Rendering Index	Initial luminous flux
911401738982	BCP381 6LED 30K 24V 40 L30	3000 K	80	430 lm
911401739142	BCP382 18LED 27K 24V 17 L50	2700 K	80	1320 lm
911401739162	BCP382 18LED 27K 24V 40 L50	2700 K	80	1208 lm
911401739202	BCP382 18LED 30K 24V 17 L50	3000 K	80	1320 lm
911401739222	BCP382 18LED 30K 24V 40 L50	3000 K	80	1208 lm
911401739362	BCP382 36LED 27K 24V 17 L100	2700 K	80	2587 lm
911401739382	BCP382 36LED 27K 24V 40 L100	2700 K	80	2367 lm
911401739422	BCP382 36LED 30K 24V 17 L100	3000 K	80	2587 lm
911401739442	BCP382 36LED 30K 24V 40 L100	3000 K	80	2367 lm
911401739582	BCP382 9LED 27K 24V 17 L30	2700 K	80	610 lm
911401739602	BCP382 9LED 27K 24V 40 L30	2700 K	80	619 lm
911401739642	BCP382 9LED 30K 24V 17 L30	3000 K	80	610 lm
911401739662	BCP382 9LED 30K 24V 40 L30	3000 K	80	619 lm
911401738682	BCP381 12LED 40K 24V A2 L50	4000 K	80	916 lm
911401738842	BCP381 24LED 40K 24V A2 L100	4000 K	80	1796 lm
911401739002	BCP381 6LED 40K 24V A2 L30	4000 K	80	467 lm
911401738702	BCP381 12LED 40K 24V 40 L50	4000 K	80	910 lm
911401738862	BCP381 24LED 40K 24V 40 L100	4000 K	80	1783 lm
911401739022	BCP381 6LED 40K 24V 40 L30	4000 K	80	464 lm
911401739242	BCP382 18LED 40K 24V A2 L50	4000 K	80	1318 lm
911401739262	BCP382 18LED 40K 24V 17 L50	4000 K	80	1386 lm
911401739282	BCP382 18LED 40K 24V 40 L50	4000 K	80	1305 lm
911401739462	BCP382 36LED 40K 24V A2 L100	4000 K	80	2584 lm
911401739482	BCP382 36LED 40K 24V 17 L100	4000 K	80	2533 lm
911401739502	BCP382 36LED 40K 24V 40 L100	4000 K	80	2557 lm

Order Code	Full Product Name	Init. Corr. Color Temperature	Init. Color	
			Rendering Index	Initial luminous flux
911401739682	BCP382 9LED 40K 24V A2 L30	4000 K	80	673 lm
911401739702	BCP382 9LED 40K 24V 17 L30	4000 K	80	659 lm
911401739722	BCP382 9LED 40K 24V 40 L30	4000 K	80	669 lm
911401739122	BCP382 18LED 27K 24V A2 L50	2700 K	80	1221 lm
911401739182	BCP382 18LED 30K 24V A2 L50	3000 K	80	1221 lm
911401739342	BCP382 36LED 27K 24V A2 L100	2700 K	80	2393 lm
911401739402	BCP382 36LED 30K 24V A2 L100	3000 K	80	2393 lm
911401739562	BCP382 9LED 27K 24V A2 L30	2700 K	80	623 lm
911401739622	BCP382 9LED 30K 24V A2 L30	3000 K	80	623 lm
911401751682	BCP385 6LED RGBNW 220V A7 L52 DMX	-	-	1523 lm
911401752192	BCP385 12LED RGBNW 220V A7 L100 DMX	-	-	3047 lm
911401779742	BCP386 12LED 27K 24V 45 L30	2700 K	80	195 lm
911401779762	BCP386 12LED 30K 24V 45 L30	3000 K	80	195 lm
911401779782	BCP386 12LED 40K 24V 45 L30	4000 K	80	210 lm
911401779982	BCP386 12LED 27K 24V 60 L30	2700 K	80	200 lm
911401780002	BCP386 12LED 30K 24V 60 L30	3000 K	80	200 lm
911401780022	BCP386 12LED 40K 24V 60 L30	4000 K	80	210 lm
911401780042	BCP386 12LED 27K 24V A11 L30	2700 K	80	195 lm
911401780062	BCP386 12LED 30K 24V A11 L30	3000 K	80	195 lm
911401780082	BCP386 12LED 40K 24V A11 L30	4000 K	80	205 lm
911401780092	BCP386 12LED RGBWW 24V 45 L30 DMX	-	-	145 lm
911401780102	BCP386 12LED RGBNW 24V 45 L30 DMX	-	-	150 lm
911401780112	BCP386 12LED RGBWW 24V A11 L30 DMX	-	-	140 lm
911401780122	BCP386 12LED RGBNW 24V A11 L30 DMX	-	-	145 lm
911401780132	BCP386 12LED RGB 24V 30 L30 DMX	-	-	90 lm

Order Code	Full Product Name	Init. Corr. Color Temperature	Init. Color	
			Rendering Index	Initial luminous flux
911401780142	BCP386 12LED RGB 24V 45 L30 DMX	-	-	95 lm
911401780152	BCP386 12LED RGB 24V A3 L30 DMX	-	-	90 lm
911401780172	BCP386 30LED 27K 24V 45 L50	2700 K	80	490 lm
911401780192	BCP386 30LED 30K 24V 45 L50	3000 K	80	490 lm
911401780212	BCP386 30LED 40K 24V 45 L50	4000 K	80	520 lm
911401780232	BCP386 30LED 27K 24V 60 L50	2700 K	80	495 lm
911401780252	BCP386 30LED 30K 24V 60 L50	3000 K	80	495 lm
911401780272	BCP386 30LED 40K 24V 60 L50	4000 K	80	525 lm
911401780292	BCP386 30LED 27K 24V A11 L50	2700 K	80	485 lm
911401780312	BCP386 30LED 30K 24V A11 L50	3000 K	80	485 lm
911401780332	BCP386 30LED 40K 24V A11 L50	4000 K	80	515 lm
911401780342	BCP386 30LED RGBWW 24V 45 L50 DMX	-	-	375 lm
911401780352	BCP386 30LED RGBNW 24V 45 L50 DMX	-	-	390 lm
911401780362	BCP386 30LED RGBWW 24V A11 L50 DMX	-	-	360 lm
911401780372	BCP386 30LED RGBNW 24V A11 L50 DMX	-	-	375 lm
911401780382	BCP386 30LED RGB 24V 30 L50 DMX	-	-	240 lm
911401780392	BCP386 30LED RGB 24V 45 L50 DMX	-	-	240 lm
911401780402	BCP386 30LED RGB 24V A3 L50 DMX	-	-	225 lm
911401780422	BCP386 60LED 27K 24V 45 L100	2700 K	80	975 lm
911401780442	BCP386 60LED 30K 24V 45 L100	3000 K	80	975 lm
911401780462	BCP386 60LED 40K 24V 45 L100	4000 K	80	1035 lm
911401780482	BCP386 60LED 27K 24V 60 L100	2700 K	80	985 lm
911401780502	BCP386 60LED 30K 24V 60 L100	3000 K	80	985 lm
911401780522	BCP386 60LED 40K 24V 60 L100	4000 K	80	1045 lm
911401780542	BCP386 60LED 27K 24V A11 L100	2700 K	80	960 lm

Order Code	Full Product Name	Init. Corr. Color Temperature	Init. Color	
			Rendering Index	Initial luminous flux
911401780562	BCP386 60LED 30K 24V A11 L100	3000 K	80	960 lm
911401780582	BCP386 60LED 40K 24V A11 L100	4000 K	80	1020 lm
911401780592	BCP386 60LED RGBWW 24V 45 L100 DMX	-	-	720 lm
91140178060	BCP386 60LED RGBNW 24V 45 L100 DMX	-	-	750 lm
911401780612	BCP386 60LED RGBWW 24V A11 L100 DMX	-	-	695 lm

Order Code	Full Product Name	Init. Corr. Color Temperature	Init. Color	
			Rendering Index	Initial luminous flux
911401780622	BCP386 60LED RGBNW 24V A11 L100 DMX	-	-	730 lm
911401780632	BCP386 60LED RGB 24V 30 L100 DMX	-	-	375 lm
911401780642	BCP386 60LED RGB 24V 45 L100 DMX	-	-	375 lm
911401780652	BCP386 60LED RGB 24V A3 L100 DMX	-	-	345 lm

Light technical

Order Code	Full Product Name	Standard tilt	Standard tilt
		angle side entry	angle posttop
911401735853	BCP383 6LED 27K 220V A2 L30 D2	-	-
911401735863	BCP383 6LED 27K 220V A2 L30 DMX D2	-	-
911401735873	BCP383 6LED 27K 220V 45 L30 D2	-	-
911401735883	BCP383 6LED 27K 220V 45 L30 DMX D2	-	-
911401735893	BCP383 6LED 30K 220V A2 L30 D2	-	-
911401735903	BCP383 6LED 30K 220V A2 L30 DMX D2	-	-
911401735913	BCP383 6LED 30K 220V 45 L30 D2	-	-
911401735923	BCP383 6LED 30K 220V 45 L30 DMX D2	-	-
911401735933	BCP383 6LED 40K 220V A2 L30 D2	-	-
911401735943	BCP383 6LED 40K 220V A2 L30 DMX D2	-	-
911401735953	BCP383 6LED 40K 220V 45 L30 D2	-	-
911401735963	BCP383 6LED 40K 220V 45 L30 DMX D2	-	-
911401735973	BCP383 9LED RGB 220V A2 L30 DMX D2	-	-
911401735983	BCP383 9LED RGB 220V 45 L30 DMX D2	-	-
911401735993	BCP383 12LED 27K 220V A2 L50 D2	-	-
911401736003	BCP383 12LED 27K 220V A2 L50 DMX D2	-	-
911401736013	BCP383 12LED 27K 220V 45 L50 D2	-	-
911401736023	BCP383 12LED 27K 220V 45 L50 DMX D2	-	-
911401736033	BCP383 12LED 30K 220V A2 L50 D2	-	-
911401736043	BCP383 12LED 30K 220V A2 L50 DMX D2	-	-
911401736053	BCP383 12LED 30K 220V 45 L50 D2	-	-
911401736063	BCP383 12LED 30K 220V 45 L50 DMX D2	-	-
911401736073	BCP383 12LED 40K 220V A2 L50 D2	-	-
911401736083	BCP383 12LED 40K 220V A2 L50 DMX D2	-	-
911401736093	BCP383 12LED 40K 220V 45 L50 D2	-	-
911401736103	BCP383 12LED 40K 220V 45 L50 DMX D2	-	-
911401736113	BCP383 18LED RGB 220V A2 L50 DMX D2	-	-
911401736123	BCP383 18LED RGB 220V 45 L50 DMX D2	-	-
911401736133	BCP383 24LED 27K 220V A2 L100 D2	-	-
911401736143	BCP383 24LED 27K 220V A2 L100 DMX D2	-	-
911401736153	BCP383 24LED 27K 220V 45 L100 D2	-	-
911401736163	BCP383 24LED 27K 220V 45 L100 DMX D2	-	-

Order Code	Full Product Name	Standard tilt	Standard tilt
		angle side entry	angle posttop
911401736173	BCP383 24LED 30K 220V A2 L100 D2	-	-
911401736183	BCP383 24LED 30K 220V A2 L100 DMX D2	-	-
911401736193	BCP383 24LED 30K 220V 45 L100 D2	-	-
911401736203	BCP383 24LED 30K 220V 45 L100 DMX D2	-	-
911401736213	BCP383 24LED 40K 220V A2 L100 D2	-	-
911401736223	BCP383 24LED 40K 220V A2 L100 DMX D2	-	-
911401736233	BCP383 24LED 40K 220V 45 L100 D2	-	-
911401736243	BCP383 24LED 40K 220V 45 L100 DMX D2	-	-
911401736253	BCP383 36LED RGB 220V A2 L100 DMX D2	-	-
911401736263	BCP383 36LED RGB 220V 45 L100 DMX D2	-	-
911401736273	BCP384 9LED 27K 220V A2 L30 D2	-	-
911401736283	BCP384 9LED 27K 220V A2 L30 DMX D2	-	-
911401736293	BCP384 9LED 27K 220V 45 L30 D2	-	-
911401736303	BCP384 9LED 27K 220V 45 L30 DMX D2	-	-
911401736313	BCP384 9LED 30K 220V A2 L30 D2	-	-
911401736323	BCP384 9LED 30K 220V A2 L30 DMX D2	-	-
911401736333	BCP384 9LED 30K 220V 45 L30 D2	-	-
911401736343	BCP384 9LED 30K 220V 45 L30 DMX D2	-	-
911401736353	BCP384 9LED 40K 220V A2 L30 D2	-	-
911401736363	BCP384 9LED 40K 220V A2 L30 DMX D2	-	-
911401736373	BCP384 9LED 40K 220V 45 L30 D2	-	-
911401736383	BCP384 9LED 40K 220V 45 L30 DMX D2	-	-
911401736393	BCP384 12LED RGBNW 220V A2 L30 DMX D2	-	-
911401736403	BCP384 12LED RGBNW 220V 45 L30 DMX D2	-	-
911401736413	BCP384 12LED RGB 220V A2 L30 DMX D2	-	-
911401736423	BCP384 12LED RGB 220V 45 L30 DMX D2	-	-

Order Code	Full Product Name	Standard tilt angle side entry	Standard tilt angle posttop
911401736433	BCP384 18LED 27K 220V A2 L50 D2	-	-
911401736443	BCP384 18LED 27K 220V A2 L50 DMX D2	-	-
911401736453	BCP384 18LED 27K 220V 45 L50 D2	-	-
911401736463	BCP384 18LED 27K 220V 45 L50 DMX D2	-	-
911401736473	BCP384 18LED 30K 220V A2 L50 D2	-	-
911401736483	BCP384 18LED 30K 220V A2 L50 DMX D2	-	-
911401736493	BCP384 18LED 30K 220V 45 L50 D2	-	-
911401736503	BCP384 18LED 30K 220V 45 L50 DMX D2	-	-
911401736513	BCP384 18LED 40K 220V A2 L50 D2	-	-
911401736523	BCP384 18LED 40K 220V A2 L50 DMX D2	-	-
911401736533	BCP384 18LED 40K 220V 45 L50 D2	-	-
911401736543	BCP384 18LED 40K 220V 45 L50 DMX D2	-	-
911401736553	BCP384 24LED RGBNW 220V A2 L50 DMX D2	-	-
911401736563	BCP384 24LED RGBNW 220V 45 L50 DMX D2	-	-
911401736573	BCP384 24LED RGB 220V A2 L50 DMX D2	-	-
911401736583	BCP384 24LED RGB 220V 45 L50 DMX D2	-	-
911401736593	BCP384 36LED 27K 220V A2 L100 D2	-	-
911401736603	BCP384 36LED 27K 220V A2 L100 DMX D2	-	-
911401736613	BCP384 36LED 27K 220V 45 L100 D2	-	-
911401736623	BCP384 36LED 27K 220V 45 L100 DMX D2	-	-
911401736633	BCP384 36LED 30K 220V A2 L100 D2	-	-
911401736643	BCP384 36LED 30K 220V A2 L100 DMX D2	-	-
911401736653	BCP384 36LED 30K 220V 45 L100 D2	-	-
911401736663	BCP384 36LED 30K 220V 45 L100 DMX D2	-	-
911401736673	BCP384 36LED 40K 220V A2 L100 D2	-	-
911401736683	BCP384 36LED 40K 220V A2 L100 DMX D2	-	-
911401736693	BCP384 36LED 40K 220V 45 L100 D2	-	-
911401736703	BCP384 36LED 40K 220V 45 L100 DMX D2	-	-
911401736713	BCP384 48LED RGBNW 220V A2 L100 DMX D2	-	-
911401736723	BCP384 48LED RGBNW 220V 45 L100 DMX D2	-	-
911401736733	BCP384 48LED RGB 220V A2 L100 DMX D2	-	-
911401736743	BCP384 48LED RGB 220V 45 L100 DMX D2	-	-
911401736753	BCP385 24LED RGB 220V A1 L52 DMX D3	-	-
911401736763	BCP385 30LED RGB 220V A1 L52 DMX D3	-	-
911401736773	BCP385 24LED 27K 220V 7 L52 D3	-	-
911401736783	BCP385 24LED 27K 220V 7 L52 DMX D3	-	-

Order Code	Full Product Name	Standard tilt angle side entry	Standard tilt angle posttop
911401736793	BCP385 24LED 27K 220V A1 L52 D3	-	-
911401736803	BCP385 24LED 27K 220V A1 L52 DMX D3	-	-
911401736813	BCP385 24LED 30K 220V 7 L52 D3	-	-
911401736823	BCP385 24LED 30K 220V 7 L52 DMX D3	-	-
911401736833	BCP385 24LED 30K 220V A1 L52 D3	-	-
911401736843	BCP385 24LED 30K 220V A1 L52 DMX D3	-	-
911401736853	BCP385 24LED 40K 220V 7 L52 D3	-	-
911401736863	BCP385 24LED 40K 220V 7 L52 DMX D3	-	-
911401736873	BCP385 24LED 40K 220V A1 L52 D3	-	-
911401736883	BCP385 24LED 40K 220V A1 L52 DMX D3	-	-
911401736893	BCP385 30LED 27K 220V 7 L52 D3	-	-
911401736903	BCP385 30LED 27K 220V 7 L52 DMX D3	-	-
911401736913	BCP385 30LED 27K 220V A1 L52 D3	-	-
911401736923	BCP385 30LED 27K 220V A1 L52 DMX D3	-	-
911401736933	BCP385 30LED 30K 220V 7 L52 D3	-	-
911401736943	BCP385 30LED 30K 220V 7 L52 DMX D3	-	-
911401736953	BCP385 30LED 30K 220V A1 L52 D3	-	-
911401736963	BCP385 30LED 30K 220V A1 L52 DMX D3	-	-
911401736973	BCP385 30LED 40K 220V 7 L52 D3	-	-
911401736983	BCP385 30LED 40K 220V 7 L52 DMX D3	-	-
911401736993	BCP385 30LED 40K 220V A1 L52 D3	-	-
911401737003	BCP385 30LED 40K 220V A1 L52 DMX D3	-	-
911401737013	BCP385 48LED 27K 220V 7 L100 D3	-	-
911401737023	BCP385 48LED 27K 220V 7 L100 DMX D3	-	-
911401737033	BCP385 48LED 27K 220V A1 L100 D3	-	-
911401737043	BCP385 48LED 27K 220V A1 L100 DMX D3	-	-
911401737053	BCP385 48LED 30K 220V 7 L100 D3	-	-
911401737063	BCP385 48LED 30K 220V 7 L100 DMX D3	-	-
911401737073	BCP385 48LED 30K 220V A1 L100 D3	-	-
911401737083	BCP385 48LED 30K 220V A1 L100 DMX D3	-	-
911401737093	BCP385 48LED 40K 220V 7 L100 D3	-	-
911401737103	BCP385 48LED 40K 220V 7 L100 DMX D3	-	-
911401737113	BCP385 48LED 40K 220V A1 L100 D3	-	-
911401737123	BCP385 48LED 40K 220V A1 L100 DMX D3	-	-
911401737133	BCP385 60LED 27K 220V 7 L100 D3	-	-
911401737143	BCP385 60LED 27K 220V 7 L100 DMX D3	-	-
911401737153	BCP385 60LED 27K 220V A1 L100 D3	-	-
911401737163	BCP385 60LED 27K 220V A1 L100 DMX D3	-	-
911401737173	BCP385 60LED 30K 220V 7 L100 D3	-	-
911401737183	BCP385 60LED 30K 220V 7 L100 DMX D3	-	-
911401737193	BCP385 60LED 30K 220V A1 L100 D3	-	-
911401737203	BCP385 60LED 30K 220V A1 L100 DMX D3	-	-
911401737213	BCP385 60LED 40K 220V 7 L100 D3	-	-
911401737223	BCP385 60LED 40K 220V 7 L100 DMX D3	-	-
911401737233	BCP385 60LED 40K 220V A1 L100 D3	-	-

Order Code	Full Product Name	Standard tilt angle side entry	Standard tilt angle posttop
911401737243	BCP385 60LED 40K 220V A1 L100 DMX D3	-	-
911401737253	BCP385 48LED RGB 220V A1 L100 DMX D3	-	-
911401737263	BCP385 60LED RGB 220V A1 L100 DMX D3	-	-
911401738602	BCP381 12LED 27K 24V A2 L50	-	-
911401738642	BCP381 12LED 30K 24V A2 L50	-	-
911401738762	BCP381 24LED 27K 24V A2 L100	-	-
911401738802	BCP381 24LED 30K 24V A2 L100	-	-
911401738922	BCP381 6LED 27K 24V A2 L30	-	-
911401738962	BCP381 6LED 30K 24V A2 L30	-	-
911401738622	BCP381 12LED 27K 24V 40 L50	-	-
911401738662	BCP381 12LED 30K 24V 40 L50	-	-
911401738782	BCP381 24LED 27K 24V 40 L100	-	-
911401738822	BCP381 24LED 30K 24V 40 L100	-	-
911401738942	BCP381 6LED 27K 24V 40 L30	-	-
911401738982	BCP381 6LED 30K 24V 40 L30	-	-
911401739142	BCP382 18LED 27K 24V 17 L50	-	-
911401739162	BCP382 18LED 27K 24V 40 L50	-	-
911401739202	BCP382 18LED 30K 24V 17 L50	-	-
911401739222	BCP382 18LED 30K 24V 40 L50	-	-
911401739362	BCP382 36LED 27K 24V 17 L100	-	-
911401739382	BCP382 36LED 27K 24V 40 L100	-	-
911401739422	BCP382 36LED 30K 24V 17 L100	-	-
911401739442	BCP382 36LED 30K 24V 40 L100	-	-
911401739582	BCP382 9LED 27K 24V 17 L30	-	-
911401739602	BCP382 9LED 27K 24V 40 L30	-	-
911401739642	BCP382 9LED 30K 24V 17 L30	-	-
911401739662	BCP382 9LED 30K 24V 40 L30	-	-
911401738682	BCP381 12LED 40K 24V A2 L50	-	-
911401738842	BCP381 24LED 40K 24V A2 L100	-	-
91140173900	BCP381 6LED 40K 24V A2 L30	-	-
2			
911401738702	BCP381 12LED 40K 24V 40 L50	-	-
911401738862	BCP381 24LED 40K 24V 40 L100	-	-
911401739022	BCP381 6LED 40K 24V 40 L30	-	-
911401739242	BCP382 18LED 40K 24V A2 L50	-	-
911401739262	BCP382 18LED 40K 24V 17 L50	-	-
911401739282	BCP382 18LED 40K 24V 40 L50	-	-
911401739462	BCP382 36LED 40K 24V A2 L100	-	-
911401739482	BCP382 36LED 40K 24V 17 L100	-	-
911401739502	BCP382 36LED 40K 24V 40 L100	-	-
911401739682	BCP382 9LED 40K 24V A2 L30	-	-
911401739702	BCP382 9LED 40K 24V 17 L30	-	-
911401739722	BCP382 9LED 40K 24V 40 L30	-	-
911401739122	BCP382 18LED 27K 24V A2 L50	-	-
911401739182	BCP382 18LED 30K 24V A2 L50	-	-
911401739342	BCP382 36LED 27K 24V A2 L100	-	-
911401739402	BCP382 36LED 30K 24V A2 L100	-	-

Order Code	Full Product Name	Standard tilt angle side entry	Standard tilt angle posttop
911401739562	BCP382 9LED 27K 24V A2 L30	-	-
911401739622	BCP382 9LED 30K 24V A2 L30	-	-
911401751682	BCP385 6LED RGBNW 220V A7 L52 DMX	-	-
911401752192	BCP385 12LED RGBNW 220V A7 L100 DMX	-	-
911401779742	BCP386 12LED 27K 24V 45 L30	-	-
911401779762	BCP386 12LED 30K 24V 45 L30	-	-
911401779782	BCP386 12LED 40K 24V 45 L30	-	-
911401779982	BCP386 12LED 27K 24V 60 L30	-	-
91140178000	BCP386 12LED 30K 24V 60 L30	-	-
2			
911401780022	BCP386 12LED 40K 24V 60 L30	-	-
911401780042	BCP386 12LED 27K 24V A11 L30	-	-
91140178006	BCP386 12LED 30K 24V A11 L30	-	-
2			
91140178008	BCP386 12LED 40K 24V A11 L30	-	-
2			
91140178009	BCP386 12LED RGBWW 24V 45 L30 DMX	-	-
2			
911401780102	BCP386 12LED RGBNW 24V 45 L30 DMX	-	-
911401780112	BCP386 12LED RGBWW 24V A11 L30 DMX	-	-
911401780122	BCP386 12LED RGBNW 24V A11 L30 DMX	-	-
911401780132	BCP386 12LED RGB 24V 30 L30 DMX	-	-
911401780142	BCP386 12LED RGB 24V 45 L30 DMX	-	-
911401780152	BCP386 12LED RGB 24V A3 L30 DMX	-	-
911401780172	BCP386 30LED 27K 24V 45 L50	-	-
911401780192	BCP386 30LED 30K 24V 45 L50	-	-
911401780212	BCP386 30LED 40K 24V 45 L50	-	-
911401780232	BCP386 30LED 27K 24V 60 L50	-	-
911401780252	BCP386 30LED 30K 24V 60 L50	-	-
911401780272	BCP386 30LED 40K 24V 60 L50	-	-
911401780292	BCP386 30LED 27K 24V A11 L50	-	-
911401780312	BCP386 30LED 30K 24V A11 L50	-	-
911401780332	BCP386 30LED 40K 24V A11 L50	-	-
911401780342	BCP386 30LED RGBWW 24V 45 L50 DMX	-	-
911401780352	BCP386 30LED RGBNW 24V 45 L50 DMX	-	-
911401780362	BCP386 30LED RGBWW 24V A11 L50 DMX	-	-
2			
911401780372	BCP386 30LED RGBNW 24V A11 L50 DMX	-	-
911401780382	BCP386 30LED RGB 24V 30 L50 DMX	-	-
911401780392	BCP386 30LED RGB 24V 45 L50 DMX	-	-
911401780402	BCP386 30LED RGB 24V A3 L50 DMX	-	-
911401780422	BCP386 60LED 27K 24V 45 L100	-	-
911401780442	BCP386 60LED 30K 24V 45 L100	-	-
911401780462	BCP386 60LED 40K 24V 45 L100	-	-
911401780482	BCP386 60LED 27K 24V 60 L100	-	-
911401780502	BCP386 60LED 30K 24V 60 L100	-	-
911401780522	BCP386 60LED 40K 24V 60 L100	-	-
911401780542	BCP386 60LED 27K 24V A11 L100	-	-
911401780562	BCP386 60LED 30K 24V A11 L100	-	-

UniStrip G4

Order Code	Full Product Name	Standard tilt angle side entry	Standard tilt angle posttop
911401780582	BCP386 60LED 40K 24V A11 L100	-	-
911401780592	BCP386 60LED RGBWW 24V 45 L100 DMX	-	-
91140178060	BCP386 60LED RGBNW 24V 45 L100 2 DMX	-	-
911401780612	BCP386 60LED RGBWW 24V A11 L100 DMX	-	-

Order Code	Full Product Name	Standard tilt angle side entry	Standard tilt angle posttop
911401780622	BCP386 60LED RGBNW 24V A11 L100 DMX	-	-
911401780632	BCP386 60LED RGB 24V 30 L100 DMX	-	-
911401780642	BCP386 60LED RGB 24V 45 L100 DMX	-	-
911401780652	BCP386 60LED RGB 24V A3 L100 DMX	-	-

