


# PRICELIST 2019

INDUSTRIAL PLUGS AND SOCKETS






**VND**








## CEE receptacles

	Protection type	Rating Amp.	No. of poles	230 V	400 V	Price in VND
				50 and 60 Hz	50 and 60 Hz	
				Part no.	Part no.	
 <p><b>CEE wall mounted receptacles,</b> 16 A - 32 A: top entry</p> <p>63 A: top and bottom entry</p>	IP 44	16	2+E	27001		230,000
	IP 44	16	3+E		27002	221,000
	IP 44	16	3+N+E		27004	270,000
	IP 44	32	2+E	27005		298,000
	IP 44	32	3+E		27006	304,000
	IP 44	32	3+N+E		27008	365,000
	IP 44	63	2+E	1137A		1,060,000
	IP 44	63	3+E		1141A	1,067,000
	IP 44	63	3+N+E		1145A	1,181,000
 <p><b>CEE wall mounted receptacles,</b> top and bottom entry</p>	IP 67	16	2+E	9301		419,000
	IP 67	16	3+E		9322	473,000
	IP 67	16	3+N+E		9342	558,000
	IP 67	32	2+E	9351		587,000
	IP 67	32	3+E		9372	597,000
	IP 67	32	3+N+E		9382	709,000
	IP 67	63	2+E	128A		1,661,000
	IP 67	63	3+E		132A	1,674,000
	IP 67	63	3+N+E		136A	1,823,000
 <p><b>CEE wall mounted receptacles,</b> X-CONTACT, top and bottom entry</p>	IP 67	125	2+E	24464		8,708,000
	IP 67	125	3+E		139	5,692,000
	IP 67	125	3+N+E		143	5,848,000
 <p><b>CEE panel mounted receptacles,</b> 20° inclination</p>	IP 44	16	2+E	1463		178,000
	IP 44	16	3+E		1467	218,000
	IP 44	16	3+N+E		1473	238,000
	IP 44	32	2+E	1492		257,000
	IP 44	32	3+E		1496	279,000
	IP 44	32	3+N+E		1500	301,000
	IP 44	63	2+E	1147A		904,000
	IP 44	63	3+E		1151A	901,000
	IP 44	63	3+N+E		1155A	1,015,000
 <p><b>CEE panel mounted receptacles,</b> straight</p>	IP 44	16	2+E	1366		172,000
	IP 44	16	3+E		1390	200,000
	IP 44	16	3+N+E		1385	226,000
	IP 44	32	2+E	1395		257,000
	IP 44	32	3+E		1399	279,000
	IP 44	32	3+N+E		3451	300,600
	IP 44	63	2+E	1261A		904,000
	IP 44	63	3+E		1248A	901,000
	IP 44	63	3+N+E		1252A	1,015,000









## CEE receptacles and plugs

	Protection type	Rating Amp.	No. of poles	230 V	400 V	Price in VND
				50 and 60 Hz	50 and 60 Hz	
				Part no.	Part no.	
 <p><b>CEE panel mounted receptacles,</b> 20° inclination</p> <p>63 A: X-CONTACT</p>	IP 67	16	2+E	1475		268,000
	IP 67	16	3+E		1479	318,000
	IP 67	16	3+N+E		1485	392,000
	IP 67	32	2+E	1502		383,000
	IP 67	32	3+E		1506	395,000
	IP 67	32	3+N+E		1551	474,000
	IP 67	63	2+E	2180A		1,184,000
	IP 67	63	3+E		205A	1,088,000
	IP 67	63	3+N+E		209A	1,211,000
 <p><b>CEE panel mounted receptacles,</b> X-CONTACT, 20° inclination</p>	IP 67	125	2+E	3575		4,433,000
	IP 67	125	3+E		212A	3,870,000
	IP 67	125	3+N+E		216A	4,166,000
 <p><b>CEE panel mounted receptacles,</b> straight</p> <p>63 A: X-CONTACT</p>	IP 67	16	2+E	218A		268,000
	IP 67	16	3+E		222A	318,000
	IP 67	16	3+N+E		228A	392,000
	IP 67	32	2+E	230A		383,000
	IP 67	32	3+E		234A	395,000
	IP 67	32	3+N+E		240A	474,000
	IP 67	63	2+E	1264A		1,184,000
	IP 67	63	3+E		1124A	1,088,000
	IP 67	63	3+N+E		1128A	1,211,000
 <p><b>CEE panel mounted receptacles,</b> X-CONTACT, straight</p>	IP 67	125	2+E	3380		4,433,000
	IP 67	125	3+E		1457	3,870,000
	IP 67	125	3+N+E		1461	4,166,000
 <p>16 A - 32 A: <b>CEE plugs AM-TOP,</b> with screw terminals and single part body</p> <p>63 A: <b>CEE plugs PowerTOP Xtra,</b> highly heat resistant contact carrier, frame terminals, nickel-plated contacts</p>	IP 44	16	2+E	13502 / 248		130,000
	IP 44	16	3+E		252	155,000
	IP 44	16	3+N+E		13510 / 3	169,000
	IP 44	32	2+E	260		200,000
	IP 44	32	3+E		264	230,000
	IP 44	32	3+N+E		13520 / 4	278,000
	IP 44	63	2+E	13102		1,284,000
	IP 44	63	3+E		13106	1,317,000
	IP 44	63	3+N+E		13112	1,363,000

## CEE plugs and connectors

	Protection type	Rating Amp.	No. of poles	230 V	400 V	Price in VND
				50 and 60 Hz	50 and 60 Hz	
				Part no.	Part no.	
 <p><b>CEE plugs AM-TOP</b>, with screw terminal and single part body</p>	IP 67	16	2+E	278		235,000
	IP 67	16	3+E		282	287,000
	IP 67	16	3+N+E		288	320,000
	IP 67	32	2+E	290		349,000
	IP 67	32	3+E		294	370,000
	IP 67	32	3+N+E		300	525,000
 <p><b>CEE plugs PowerTOP Xtra</b>, highly heat resistant contact carrier, frame terminals, nickel plated contacts</p>	IP 67	63	2+E	13202		1,773,000
	IP 67	63	3+E		13206	1,724,000
	IP 67	63	3+N+E		13212	1,857,000
	IP 67	125	2+E	13216		4,811,000
	IP 67	125	3+E		13219	4,867,000
	IP 67	125	3+N+E		13225	5,114,000
 <p>16 A - 32 A: <b>CEE connectors AM-TOP</b>, X-CONTACT, with screw terminals and single part body</p> <p>63 A: <b>CEE connectors PowerTOP Xtra</b>, X-CONTACT, highly heat resistant contact carrier, frame terminals</p>	IP 44	16	2+E	14502 / 510		169,000
	IP 44	16	3+E		514	197,000
	IP 44	16	3+N+E		14510 / 5	233,000
	IP 44	32	2+E	522		268,000
	IP 44	32	3+E		526	283,000
	IP 44	32	3+N+E		14520 / 6	330,000
	IP 44	63	2+E	14102		1,484,000
	IP 44	63	3+E		14106	1,530,000
	IP 44	63	3+N+E		14112	1,597,000
 <p>16 A - 32 A: <b>CEE connectors AM-TOP</b>, with screw terminal and single part body</p>	IP 67	16	2+E	540		279,000
	IP 67	16	3+E		544	354,000
	IP 67	16	3+N+E		550	437,000
	IP 67	32	2+E	552		432,000
	IP 67	32	3+E		556	442,000
	IP 67	32	3+N+E		562	534,000
 <p><b>CEE connectors PowerTOP Xtra</b>, X-CONTACT, highly heat resistant contact carrier, frame terminals</p>	IP 67	63	2+E	14202		1,920,000
	IP 67	63	3+E		14206	1,976,000
	IP 67	63	3+N+E		14212	2,119,000
	IP 67	125	2+E	14216		5,279,000
	IP 67	125	3+E		14219	5,515,000
	IP 67	125	3+N+E		14225	5,748,000

## CEE receptacles switched and interlocked

	Protection type	Rating Amp.	No. of poles	230 V	400 V	Price in VND
				50 and 60 Hz	50 and 60 Hz	
				Part no.	Part no.	
 <p><b>CEE wall mounted receptacles, switched, with mechanical DUO-interlock</b></p> <p>63 A: X-CONTACT</p>	IP 44	16	2+E	7002A		3,314,000
	IP 44	16	3+E		5100A	3,392,000
	IP 44	16	3+N+E		5103A	3,834,000
	IP 44	32	2+E	5696A		3,830,000
	IP 44	32	3+E		5105A	3,980,000
	IP 44	32	3+N+E		5108A	4,060,000
	IP 44	63	2+E	6571		9,052,000
	IP 44	63	3+E		5956A	8,480,000
	IP 44	63	3+N+E		5959A	8,894,000
 <p><b>CEE wall mounted receptacles, switched, with mechanical DUO-interlock</b></p> <p>63 A: X-CONTACT</p>	IP 67	16	2+E	7012A		4,162,000
	IP 67	16	3+E		5600A	4,190,000
	IP 67	16	3+N+E		5603A	4,704,000
	IP 67	32	2+E	5793A		5,309,000
	IP 67	32	3+E		5605A	4,805,000
	IP 67	32	3+N+E		5608A	5,473,000
	IP 67	63	2+E	5911A		
	IP 67	63	3+E		5110A	9,832,000
	IP 67	63	3+N+E		5113A	10,598,000
 <p><b>CEE wall mounted receptacles, X-CONTACT, switched, with mechanical DUO-interlock</b></p>	IP 67	125	2+E	7000		
	IP 67	125	3+E		5691A	33,540,000
	IP 67	125	3+N+E		5692A	34,925,000
 <p><b>SCHUKO® panel mounted receptacles</b></p>	IP 44	16	2p+E	11030 grey		133,000
	IP 44	16	2p+E	11031 blue		133,000
 <p><b>Base for wall mounted receptacles</b></p>				10714 grey		126,000
				10715 blue		126,000
 <p><b>Wall mounted receptacles SCHUKO®</b></p>	IP 44	16	2p+E	10081 grey		398,000
	IP 44	16	2p+E	10082 blue		398,000
 <p><b>Plugs SCHUKO®</b></p>	IP 44	16	2p+E	10749 grey		163,000
	IP 44	16	2p+E	10838 blue		163,000
 <p><b>Connectors SCHUKO®</b></p>	IP 44	16	2p+E	10751 grey		209,000
	IP 44	16	2p+E	10843 blue		209,000



## CEE plugs and sockets for container and terminals

		Protection type	Rating Amp.	No. of poles	380 - 440 V 50 and 60 Hz	Price in VND
					Part no.	
	<b>CEE wall mounted receptacle,</b> with highly heat resistant contact carrier and nickel plated contacts	IP 67	32	3+E	9562	905,000
	<b>CEE wall mounted receptacle,</b> with highly heat resistant contact carrier and nickel plated contacts, switched, with mechanical DUO-interlock, may be padlocked in the OFF position	IP 67	32	3+E	5792A	5,299,000
	<b>CEE panel mounted receptacle,</b> with highly heat resistant contact carrier and nickel plated contacts	IP 67	32	3+E	2123A	649,000
	<b>CEE plug AM-TOP,</b> single part body, screw terminals, with highly heat resistant contact carrier and nickel plated contacts, cable gland and sealing	IP 67	32	3+E	2175B	497,000
	<b>CEE connector AM-TOP,</b> single part body, screw terminals, with highly heat resistant contact carrier and nickel plated contacts, cable gland and sealing	IP 67	32	3+E	2177A	639,000

## AMAXX® receptacle combinations

### Superb design. Dependable technology.

#### Variety of versions

- Protection type: IP 44 and IP 67
- Enclosure made of high-quality plastic or AMELAN in aggressive atmospheres with high resistance to chemicals as well as highly heat resistant contact carrier and nickel plated contacts
- Equipped with: CEE receptacles from 16 A, 3 p up to 63 A, 5 p, grounding-type receptacles in acc. with many national standards, DUO receptacles switched and interlocked from 16 A, 3 p up to 32 A, 5 p as well as fuse elements



#### Features and benefits



**1 Liftable DIN rails**  
Liftable DIN rails and a large, smooth wiring space significantly ease the insertion as well as connection of large cables

**2 One-man installation**  
Shorter installation times with the new, user-friendly external fixing

**3 Hinged cover**  
The hinged cover, which opens to one side, eases connection work

**4 Ready for application**  
All combinations are pre-wired for installation and tested for electric safety and quality



Generally angled insertion direction.



Especially fast opening and closing of the enclosure due to captive doublethreaded cover screws.



Both hands free because inspection windows fold downwards.



Window can be locked with a padlock, enclosure can be sealed.

**MENNEKES Electric Singapore Pte. Ltd.**

No. 3 International Business Park  
# 03-28 Nordic European Centre  
SINGAPORE 609927  
SINGAPORE

Phone: + 84 8 38 104 561  
Fax: + 84 8 38 104 561  
info@MENNEKES.com.vn  
www.MENNEKES.com

**MENNEKES**

Elektrotechnik GmbH & Co. KG

Aloys-Mennekes-Str. 1  
57399 KIRCHHUNDEM  
GERMANY

Phone: + 49 2723 41-1  
Fax: + 49 2723 41-214  
info@MENNEKES.de  
www.MENNEKES.com



2TA 03:19

Subject to modification.  
No liability for misprints.

Platzhalter FSC-  
Logo