



# GreenPerform Highbay G5

## BY698X G5 LED200/NW Connected NB GM

### Lens

The GreenPerform Highbay G5 continues the GreenPerform family's enviable reputation for reliable performance. Not only does it deliver leading system efficacy and extended long-term quality, it also promises Unified Glare Rating (UGR) control with compact dimensions. GreenPerform Highbay G5 is also fully compatible with IoT software such as Interact, which is a scalable, future-proof control system. The family also has a series that supports cold room applications with 100% humidity and no condensation. All benefits that make this robust, optimized, and versatile family suitable for almost all industrial applications.

### Product data

General information		Controls and dimming	
Light source color	840 neutral white	Dimmable	Yes
Optical cover/lens type	Lens	Mechanical and housing	
Control interface	InterAct Pro	Housing Material	Aluminum die cast
Protection class IEC	Safety class I	Optical cover/lens material	Polycarbonate
CE mark	CE mark	Optical cover/lens finish	Clear
Number of products on MCB of 16 A type B 12		Overall length	530 mm
Light source engine type	LED	Overall width	393 mm
Operating and electrical		Overall height	99 mm
Input Voltage	220 to 240 V	Color	Dark gray
Input Frequency	50 or 60 Hz		
Power Factor (Min)	0.95		

# GreenPerform Highbay G5

## Approval and application

Ingress protection code	IP65 [ Dust penetration-protected, jet-proof]
Mech. impact protection code	IK05 [ 0.7 J]

## Initial performance (IEC compliant)


Initial luminous flux (system flux)	20000 lm
Luminous flux tolerance	+/-10%
Initial LED luminaire efficacy	150 lm/W
Init. Corr. Color Temperature	4000 K
Init. Color Rendering Index	80
Initial chromaticity	(0.385, 0.380) SDCM<5
Initial input power	133 W
Power consumption tolerance	+/-10%

## Application conditions


Ambient temperature range	-30 to +50 °C
---------------------------	---------------

## Product data

Order product name	BY698X G5 LED200/NW Connected NB GM
Order code	911401526491
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	1
Material Nr. (12NC)	911401526491
Net Weight (Piece)	5.290 kg



## Dimensional drawing



BY698X G5 LED200/NW Connected NB GM

