



Flexible, Comprehensive and Reliable

GreenUp Magnetic Flex

Retail & Hospitality has a clear trend that clusters of choices is one of the most important DNAs that being strongly expected in this specific applications. GreenUp Magnetic Flex is a comprehensive product family with magnetic design which supports an easier and flexible way of installation and commissioning. It offers a complete range of options with product diversity and control availability. GreenUp Magnetic Flex gives you a plenty of flexibility to create the lighting magics.

Benefits

- Easy & Flexible for installation & commissioning.
- Comprehensive offerings to meet various application requirements.
- Good lighting quality with well controlled glare and color rendering performance.
- Ensured quality and reliability.

Features

- Product diversities with magnetic design, including spot, flood, suspension, gridlight and tiltable grid.
- Multiple control availability including on/off and 1-10v.
- CRI \geq 90, SDCM \leq 5

Application

- Retail
- Hospitality
- Fashion

GreenUp Magnetic Flex

Versions



GreenUp Magnetic Flex



GreenUp Magnetic Flex



GreenUp Magnetic Flex



GreenUp Magnetic Flex



GreenUp Magnetic Flex



GreenUp Magnetic Flex



GreenUp Magnetic Flex



GreenUp Magnetic Flex



GreenUp Magnetic Flex

Accessories



GreenUp Magnetic Flex

Ordercode 911401525222



Accessory - GreenUp Magnetic Flex

Ordercode 911401548032,
911401548732, 911401559702,
911401559802

GreenUp Magnetic Flex

Accessories



Ordercode 911401548132,
911401559902



- V - - Hz

Ordercode 911401548532,
911401560602



Ordercode 911401548832,
911401560002



Accessory - GreenUp Magnetic
Flex

Ordercode 911401548932,
911401560302



GreenUp Magnetic Flex

Ordercode 911401559502,
911401559602



GreenUp Magnetic Flex

Ordercode 911401560102



GreenUp Magnetic Flex

Ordercode 911401560202



GreenUp Magnetic Flex

Ordercode 911401560402



220-240 V - 50 or 60 Hz

Ordercode 911401560502



GreenUp Magnetic Flex

Ordercode 911401560702

Application conditions

Ambient temperature range -20 to +40 °C

Approval and application

Mech. impact protection code IK03

Ingress protection code IP20

General information

CE mark -

Protection class IEC Safety class III

Initial performance (IEC compliant)

Init. Color Rendering Index >90

Luminous flux tolerance +/-10%

Mechanical and housing

Color Black

Controls and dimming

Order Code	Full Product Name	Dimmable
911401548232	ST307M GD P15 940 PSU-E MB	No
911401554802	ST307M GD P15 930 PSU-E MB	No
911401555002	ST307M GD P15 940 PSU-E MB	No
911401557802	ST307M GD P15 930 PSR-E 1-10V MB	Yes
911401558002	ST307M GD P15 940 PSR-E 1-10V MB	Yes
911401548332	ST307M ST P9 940 PSU-E MB	No
911401554102	ST307M ST P9 930 PSU-E NB	No
911401554202	ST307M ST P9 930 PSU-E MB	No
911401554302	ST307M ST P9 930 PSU-E WB	No
911401554402	ST307M ST P9 940 PSU-E NB	No
911401554502	ST307M ST P9 940 PSU-E MB	No
911401554602	ST307M ST P9 940 PSU-E WB	No
911401557102	ST307M ST P9 930 PSR-E 1-10V NB	Yes
911401557202	ST307M ST P9 930 PSR-E 1-10V MB	Yes
911401557302	ST307M ST P9 930 PSR-E 1-10V WB	Yes
911401557402	ST307M ST P9 940 PSR-E 1-10V NB	Yes
911401557502	ST307M ST P9 940 PSR-E 1-10V MB	Yes
911401557602	ST307M ST P9 940 PSR-E 1-10V WB	Yes
911401548432	ST307M GL P15 940 PSU-E OP	No
911401555602	ST307M GL P15 930 PSU-E OP	No
911401555802	ST307M GL P15 940 PSU-E OP	No
911401558602	ST307M GL P15 930 PSR-E 1-10V OP	Yes
911401558802	ST307M GL P15 940 PSR-E 1-10V OP	Yes
911401548632	ST307M TG P15 940 PSU-E MB	No
911401555202	ST307M TG P15 930 PSU-E MB	No
911401555402	ST307M TG P15 940 PSU-E MB	No
911401558202	ST307M TG P15 930 PSR-E 1-10V MB	Yes
911401558402	ST307M TG P15 940 PSR-E 1-10V MB	Yes
911401553602	ST307M ST P6 930 PSU-E MB	No
911401553702	ST307M ST P6 930 PSU-E WB	No
911401553902	ST307M ST P6 940 PSU-E MB	No
911401554002	ST307M ST P6 940 PSU-E WB	No
911401556602	ST307M ST P6 930 PSR-E 1-10V MB	Yes
911401556702	ST307M ST P6 930 PSR-E 1-10V WB	Yes
911401556902	ST307M ST P6 940 PSR-E 1-10V MB	Yes
911401557002	ST307M ST P6 940 PSR-E 1-10V WB	Yes
911401554702	ST307M GD P8 930 PSU-E MB	No
911401554902	ST307M GD P8 940 PSU-E MB	No
911401557702	ST307M GD P8 930 PSR-E 1-10V MB	Yes
911401557902	ST307M GD P8 940 PSR-E 1-10V MB	Yes
911401555102	ST307M TG P8 930 PSU-E MB	No
911401555302	ST307M TG P8 940 PSU-E MB	No
911401558102	ST307M TG P8 930 PSR-E 1-10V MB	Yes
911401558302	ST307M TG P8 940 PSR-E 1-10V MB	Yes
911401555502	ST307M GL P8 930 PSU-E OP	No
911401555702	ST307M GL P8 940 PSU-E OP	No
911401558502	ST307M GL P8 930 PSR-E 1-10V OP	Yes
911401558702	ST307M GL P8 940 PSR-E 1-10V OP	Yes
911401555902	ST307M SS P5 930 PSU-E NB	No
911401556002	ST307M SS P5 930 PSU-E MB	No
911401556102	ST307M SS P5 930 PSU-E WB	No

Order Code	Full Product Name	Dimmable
911401556202	ST307M SS P5 940 PSU-E NB	No
911401556302	ST307M SS P5 940 PSU-E MB	No
911401556402	ST307M SS P5 940 PSU-E WB	No
911401558902	ST307M SS P5 930 PSR-E 1-10V NB	Yes
911401559002	ST307M SS P5 930 PSR-E 1-10V MB	Yes
911401559102	ST307M SS P5 930 PSR-E 1-10V WB	Yes
911401559202	ST307M SS P5 940 PSR-E 1-10V NB	Yes
911401559302	ST307M SS P5 940 PSR-E 1-10V MB	Yes
911401559402	ST307M SS P5 940 PSR-E 1-10V WB	Yes

Operating and electrical

Order Code	Full Product Name	Input Voltage	Order Code	Full Product Name	Input Voltage
911401548232	ST307M GD P15 940 PSU-E MB	48 V	911401553902	ST307M ST P6 940 PSU-E MB	48 V
911401554802	ST307M GD P15 930 PSU-E MB	48 V	911401554002	ST307M ST P6 940 PSU-E WB	48 V
911401555002	ST307M GD P15 940 PSU-E MB	48 V	911401556602	ST307M ST P6 930 PSR-E 1-10V MB	24 V
911401557802	ST307M GD P15 930 PSR-E 1-10V MB	24 V	911401556702	ST307M ST P6 930 PSR-E 1-10V WB	24 V
911401558002	ST307M GD P15 940 PSR-E 1-10V MB	24 V	911401556902	ST307M ST P6 940 PSR-E 1-10V MB	24 V
911401548332	ST307M ST P9 940 PSU-E MB	48 V	911401557002	ST307M ST P6 940 PSR-E 1-10V WB	24 V
911401554102	ST307M ST P9 930 PSU-E NB	48 V	911401554702	ST307M GD P8 930 PSU-E MB	48 V
911401554202	ST307M ST P9 930 PSU-E MB	48 V	911401554902	ST307M GD P8 940 PSU-E MB	48 V
911401554302	ST307M ST P9 930 PSU-E WB	48 V	911401557702	ST307M GD P8 930 PSR-E 1-10V MB	24 V
911401554402	ST307M ST P9 940 PSU-E NB	48 V	911401557902	ST307M GD P8 940 PSR-E 1-10V MB	24 V
911401554502	ST307M ST P9 940 PSU-E MB	48 V	911401555102	ST307M TG P8 930 PSU-E MB	48 V
911401554602	ST307M ST P9 940 PSU-E WB	48 V	911401555302	ST307M TG P8 940 PSU-E MB	48 V
911401557102	ST307M ST P9 930 PSR-E 1-10V NB	24 V	911401558102	ST307M TG P8 930 PSR-E 1-10V MB	24 V
911401557202	ST307M ST P9 930 PSR-E 1-10V MB	24 V	911401558302	ST307M TG P8 940 PSR-E 1-10V MB	24 V
911401557302	ST307M ST P9 930 PSR-E 1-10V WB	24 V	911401555502	ST307M GL P8 930 PSU-E OP	48 V
911401557402	ST307M ST P9 940 PSR-E 1-10V NB	24 V	911401555702	ST307M GL P8 940 PSU-E OP	48 V
911401557502	ST307M ST P9 940 PSR-E 1-10V MB	24 V	911401558502	ST307M GL P8 930 PSR-E 1-10V OP	24 V
911401557602	ST307M ST P9 940 PSR-E 1-10V WB	24 V	911401558702	ST307M GL P8 940 PSR-E 1-10V OP	24 V
911401548432	ST307M GL P15 940 PSU-E OP	48 V	911401555902	ST307M SS P5 930 PSU-E NB	48 V
911401555602	ST307M GL P15 930 PSU-E OP	48 V	911401556002	ST307M SS P5 930 PSU-E MB	48 V
911401555802	ST307M GL P15 940 PSU-E OP	48 V	911401556102	ST307M SS P5 930 PSU-E WB	48 V
911401558602	ST307M GL P15 930 PSR-E 1-10V OP	24 V	911401556202	ST307M SS P5 940 PSU-E NB	48 V
911401558802	ST307M GL P15 940 PSR-E 1-10V OP	24 V	911401556302	ST307M SS P5 940 PSU-E MB	48 V
911401548632	ST307M TG P15 940 PSU-E MB	48 V	911401556402	ST307M SS P5 940 PSU-E WB	48 V
911401555202	ST307M TG P15 930 PSU-E MB	48 V	911401558902	ST307M SS P5 930 PSR-E 1-10V NB	24 V
911401555402	ST307M TG P15 940 PSU-E MB	48 V	911401559002	ST307M SS P5 930 PSR-E 1-10V MB	24 V
911401558202	ST307M TG P15 930 PSR-E 1-10V MB	24 V	911401559102	ST307M SS P5 930 PSR-E 1-10V WB	24 V
911401558402	ST307M TG P15 940 PSR-E 1-10V MB	24 V	911401559202	ST307M SS P5 940 PSR-E 1-10V NB	24 V
911401553602	ST307M ST P6 930 PSU-E MB	48 V	911401559302	ST307M SS P5 940 PSR-E 1-10V MB	24 V
911401553702	ST307M ST P6 930 PSU-E WB	48 V	911401559402	ST307M SS P5 940 PSR-E 1-10V WB	24 V

General information

Order Code	Full Product Name	Optical cover/lens type	Order Code	Full Product Name	Optical cover/lens type
911401548232	ST307M GD P15 940 PSU-E MB	Polycarbonate bowl/cover	911401558002	ST307M GD P15 940 PSR-E 1-10V MB	Polycarbonate bowl/cover
911401554802	ST307M GD P15 930 PSU-E MB	Polycarbonate bowl/cover	911401548332	ST307M ST P9 940 PSU-E MB	Polycarbonate micro lens optic
911401555002	ST307M GD P15 940 PSU-E MB	Polycarbonate bowl/cover	911401554102	ST307M ST P9 930 PSU-E NB	Polycarbonate micro lens optic
911401557802	ST307M GD P15 930 PSR-E 1-10V MB	Polycarbonate bowl/cover	911401554202	ST307M ST P9 930 PSU-E MB	Polycarbonate micro lens optic

Order Code	Full Product Name	Optical cover/lens type
911401554302	ST307M ST P9 930 PSU-E WB	Polycarbonate micro lens optic
911401554402	ST307M ST P9 940 PSU-E NB	Polycarbonate micro lens optic
911401554502	ST307M ST P9 940 PSU-E MB	Polycarbonate micro lens optic
911401554602	ST307M ST P9 940 PSU-E WB	Polycarbonate micro lens optic
911401557102	ST307M ST P9 930 PSR-E 1-10V NB	Polycarbonate micro lens optic
911401557202	ST307M ST P9 930 PSR-E 1-10V MB	Polycarbonate micro lens optic
911401557302	ST307M ST P9 930 PSR-E 1-10V WB	Polycarbonate micro lens optic
911401557402	ST307M ST P9 940 PSR-E 1-10V NB	Polycarbonate micro lens optic
911401557502	ST307M ST P9 940 PSR-E 1-10V MB	Polycarbonate micro lens optic
911401557602	ST307M ST P9 940 PSR-E 1-10V WB	Polycarbonate micro lens optic
911401548432	ST307M GL P15 940 PSU-E OP	Polycarbonate micro lens optic
911401555602	ST307M GL P15 930 PSU-E OP	Polycarbonate micro lens optic
911401555802	ST307M GL P15 940 PSU-E OP	Polycarbonate micro lens optic
911401558602	ST307M GL P15 930 PSR-E 1-10V OP	Polycarbonate micro lens optic
911401558802	ST307M GL P15 940 PSR-E 1-10V OP	Polycarbonate micro lens optic
911401548632	ST307M TG P15 940 PSU-E MB	Polycarbonate bowl/cover
911401555202	ST307M TG P15 930 PSU-E MB	Polycarbonate bowl/cover
911401555402	ST307M TG P15 940 PSU-E MB	Polycarbonate bowl/cover
911401558202	ST307M TG P15 930 PSR-E 1-10V MB	Polycarbonate bowl/cover
911401558402	ST307M TG P15 940 PSR-E 1-10V MB	Polycarbonate bowl/cover
911401553602	ST307M ST P6 930 PSU-E MB	Polycarbonate micro lens optic
911401553702	ST307M ST P6 930 PSU-E WB	Polycarbonate micro lens optic
911401553902	ST307M ST P6 940 PSU-E MB	Polycarbonate micro lens optic
911401554002	ST307M ST P6 940 PSU-E WB	Polycarbonate micro lens optic
911401556602	ST307M ST P6 930 PSR-E 1-10V MB	Polycarbonate micro lens optic
911401556702	ST307M ST P6 930 PSR-E 1-10V WB	Polycarbonate micro lens optic

Order Code	Full Product Name	Optical cover/lens type
911401556902	ST307M ST P6 940 PSR-E 1-10V MB	Polycarbonate micro lens optic
911401557002	ST307M ST P6 940 PSR-E 1-10V WB	Polycarbonate micro lens optic
911401554702	ST307M GD P8 930 PSU-E MB	Polycarbonate bowl/cover
911401554902	ST307M GD P8 940 PSU-E MB	Polycarbonate bowl/cover
911401557702	ST307M GD P8 930 PSR-E 1-10V MB	Polycarbonate bowl/cover
911401557902	ST307M GD P8 940 PSR-E 1-10V MB	Polycarbonate bowl/cover
911401555102	ST307M TG P8 930 PSU-E MB	Polycarbonate bowl/cover
911401555302	ST307M TG P8 940 PSU-E MB	Polycarbonate bowl/cover
911401558102	ST307M TG P8 930 PSR-E 1-10V MB	Polycarbonate bowl/cover
911401558302	ST307M TG P8 940 PSR-E 1-10V MB	Polycarbonate bowl/cover
911401555502	ST307M GL P8 930 PSU-E OP	Polycarbonate micro lens optic
911401555702	ST307M GL P8 940 PSU-E OP	Polycarbonate micro lens optic
911401558502	ST307M GL P8 930 PSR-E 1-10V OP	Polycarbonate micro lens optic
911401558702	ST307M GL P8 940 PSR-E 1-10V OP	Polycarbonate micro lens optic
911401555902	ST307M SS P5 930 PSU-E NB	Polycarbonate micro lens optic
911401556002	ST307M SS P5 930 PSU-E MB	Polycarbonate micro lens optic
911401556102	ST307M SS P5 930 PSU-E WB	Polycarbonate micro lens optic
911401556202	ST307M SS P5 940 PSU-E NB	Polycarbonate micro lens optic
911401556302	ST307M SS P5 940 PSU-E MB	Polycarbonate micro lens optic
911401556402	ST307M SS P5 940 PSU-E WB	Polycarbonate micro lens optic
911401558902	ST307M SS P5 930 PSR-E 1-10V NB	Polycarbonate micro lens optic
911401559002	ST307M SS P5 930 PSR-E 1-10V MB	Polycarbonate micro lens optic
911401559102	ST307M SS P5 930 PSR-E 1-10V WB	Polycarbonate micro lens optic
911401559202	ST307M SS P5 940 PSR-E 1-10V NB	Polycarbonate micro lens optic
911401559302	ST307M SS P5 940 PSR-E 1-10V MB	Polycarbonate micro lens optic
911401559402	ST307M SS P5 940 PSR-E 1-10V WB	Polycarbonate micro lens optic

Initial performance (IEC compliant)

Order Code	Full Product Name	Init. Corr. Color Temperature	Initial LED luminaire efficacy	Initial luminous flux	Initial input power
911401548232	ST307M GD P15 940 PSU-E MB	4000 K	85 lm/W	1275 lm	15 W
911401554802	ST307M GD P15 930 PSU-E MB	3000 K	70 lm/W	1050 lm	15 W
911401555002	ST307M GD P15 940 PSU-E MB	4000 K	85 lm/W	1275 lm	15 W
911401557802	ST307M GD P15 930 PSR-E 1-10V MB	3000 K	65 lm/W	975 lm	15 W
911401558002	ST307M GD P15 940 PSR-E 1-10V MB	4000 K	80 lm/W	1200 lm	15 W
911401548332	ST307M ST P9 940 PSU-E MB	4000 K	75 lm/W	675 lm	9 W
911401554102	ST307M ST P9 930 PSU-E NB	3000 K	45 lm/W	405 lm	9 W
911401554202	ST307M ST P9 930 PSU-E MB	3000 K	60 lm/W	540 lm	9 W
911401554302	ST307M ST P9 930 PSU-E WB	3000 K	60 lm/W	540 lm	9 W

Order Code	Full Product Name	Init. Corr. Color Temperature	Initial LED luminaire efficacy	Initial luminous flux	Initial input power
911401554402	ST307M ST P9 940 PSU-E NB	4000 K	55 lm/W	495 lm	9 W
911401554502	ST307M ST P9 940 PSU-E MB	4000 K	75 lm/W	675 lm	9 W
911401554602	ST307M ST P9 940 PSU-E WB	4000 K	75 lm/W	675 lm	9 W
911401557102	ST307M ST P9 930 PSR-E 1-10V NB	3000 K	45 lm/W	405 lm	9 W
911401557202	ST307M ST P9 930 PSR-E 1-10V MB	3000 K	55 lm/W	495 lm	9 W
911401557302	ST307M ST P9 930 PSR-E 1-10V WB	3000 K	55 lm/W	495 lm	9 W
911401557402	ST307M ST P9 940 PSR-E 1-10V NB	4000 K	50 lm/W	450 lm	9 W

GreenUp Magnetic Flex

Order Code	Full Product Name	Init. Corr. Color Temperature	Initial LED luminaire efficacy	Initial luminous flux	Initial input power
911401557502	ST307M ST P9 940 PSR-E 1-10V MB	4000 K	70 lm/W	630 lm	9 W
911401557602	ST307M ST P9 940 PSR-E 1-10V WB	4000 K	70 lm/W	630 lm	9 W
911401548432	ST307M GL P15 940 PSU-E OP	4000 K	40 lm/W	600 lm	15 W
911401555602	ST307M GL P15 930 PSU-E OP	3000 K	40 lm/W	600 lm	15 W
911401555802	ST307M GL P15 940 PSU-E OP	4000 K	40 lm/W	600 lm	15 W
911401558602	ST307M GL P15 930 PSR-E 1-10V OP	3000 K	35 lm/W	525 lm	15 W
911401558802	ST307M GL P15 940 PSR-E 1-10V OP	4000 K	35 lm/W	525 lm	15 W
911401548632	ST307M TG P15 940 PSU-E MB	4000 K	85 lm/W	1275 lm	15 W
911401555202	ST307M TG P15 930 PSU-E MB	3000 K	70 lm/W	1050 lm	15 W
911401555402	ST307M TG P15 940 PSU-E MB	4000 K	85 lm/W	1275 lm	15 W
911401558202	ST307M TG P15 930 PSR-E 1-10V MB	3000 K	65 lm/W	975 lm	15 W
911401558402	ST307M TG P15 940 PSR-E 1-10V MB	4000 K	80 lm/W	1200 lm	15 W
911401553602	ST307M ST P6 930 PSU-E MB	3000 K	65 lm/W	390 lm	6 W
911401553702	ST307M ST P6 930 PSU-E WB	3000 K	70 lm/W	420 lm	6 W
911401553902	ST307M ST P6 940 PSU-E MB	4000 K	80 lm/W	480 lm	6 W
911401554002	ST307M ST P6 940 PSU-E WB	4000 K	85 lm/W	510 lm	6 W
911401556602	ST307M ST P6 930 PSR-E 1-10V MB	3000 K	60 lm/W	360 lm	6 W
911401556702	ST307M ST P6 930 PSR-E 1-10V WB	3000 K	65 lm/W	390 lm	6 W
911401556902	ST307M ST P6 940 PSR-E 1-10V MB	4000 K	75 lm/W	450 lm	6 W
911401557002	ST307M ST P6 940 PSR-E 1-10V WB	4000 K	80 lm/W	480 lm	6 W

Order Code	Full Product Name	Init. Corr. Color Temperature	Initial LED luminaire efficacy	Initial luminous flux	Initial input power
911401554702	ST307M GD P8 930 PSU-E MB	3000 K	70 lm/W	560 lm	8 W
911401554902	ST307M GD P8 940 PSU-E MB	4000 K	80 lm/W	640 lm	8 W
911401557702	ST307M GD P8 930 PSR-E 1-10V MB	3000 K	65 lm/W	520 lm	8 W
911401557902	ST307M GD P8 940 PSR-E 1-10V MB	4000 K	75 lm/W	600 lm	8 W
911401555102	ST307M TG P8 930 PSU-E MB	3000 K	70 lm/W	560 lm	8 W
911401555302	ST307M TG P8 940 PSU-E MB	4000 K	80 lm/W	640 lm	8 W
911401558102	ST307M TG P8 930 PSR-E 1-10V MB	3000 K	65 lm/W	520 lm	8 W
911401558302	ST307M TG P8 940 PSR-E 1-10V MB	4000 K	75 lm/W	600 lm	8 W
911401555502	ST307M GL P8 930 PSU-E OP	3000 K	40 lm/W	320 lm	8 W
911401555702	ST307M GL P8 940 PSU-E OP	4000 K	40 lm/W	320 lm	8 W
911401558502	ST307M GL P8 930 PSR-E 1-10V OP	3000 K	35 lm/W	280 lm	8 W
911401558702	ST307M GL P8 940 PSR-E 1-10V OP	4000 K	35 lm/W	280 lm	8 W
911401555902	ST307M SS P5 930 PSU-E NB	3000 K	55 lm/W	275 lm	5 W
911401556002	ST307M SS P5 930 PSU-E MB	3000 K	65 lm/W	325 lm	5 W
911401556102	ST307M SS P5 930 PSU-E WB	3000 K	70 lm/W	350 lm	5 W
911401556202	ST307M SS P5 940 PSU-E NB	4000 K	85 lm/W	425 lm	5 W
911401556302	ST307M SS P5 940 PSU-E MB	4000 K	85 lm/W	425 lm	5 W
911401556402	ST307M SS P5 940 PSU-E WB	4000 K	90 lm/W	450 lm	5 W
911401558902	ST307M SS P5 930 PSR-E 1-10V NB	3000 K	50 lm/W	250 lm	5 W
911401559002	ST307M SS P5 930 PSR-E 1-10V MB	3000 K	60 lm/W	300 lm	5 W

GreenUp Magnetic Flex

Order Code	Full Product Name	Init. Corr. Color Temperature	Initial LED luminaire efficacy	Initial luminous flux	Initial input power
911401559102	ST307M SS P5 930 PSR-E 1-10V WB	3000 K	65 lm/W	325 lm	5 W
911401559202	ST307M SS P5 940 PSR-E 1-10V NB	4000 K	80 lm/W	400 lm	5 W

Order Code	Full Product Name	Init. Corr. Color Temperature	Initial LED luminaire efficacy	Initial luminous flux	Initial input power
911401559302	ST307M SS P5 940 PSR-E 1-10V MB	4000 K	80 lm/W	400 lm	5 W
911401559402	ST307M SS P5 940 PSR-E 1-10V WB	4000 K	85 lm/W	425 lm	5 W

