



Uni Wall Mount Recessed: Urban recessed wall mount applies on surface, e.g., parking garages, entrances, outdoor terrace and wall in garden.

Uni Wall Mount Recessed

Public areas all seek for the most reliable and professional lighting solutions, e.g., parking areas, entrances, outdoor terrace, and wall in garden. The Philips Uni Wall Mount recessed can be installed easily in accordance with per scenario, delivering the optimized lighting to surroundings. The modern sleek design makes the fixture suitable to be installed either in renovation or new installation scenarios. The Philips Uni Wall Mount recessed help you achieve superb reliability and more. Same as other product range in Philips, the product is designed under a variety of Philips quality standard with a good price/quality ratio. Therefore, Philips Uni Wall Mount recessed offers another affordable, energy — efficient and stable choice in wall Mounting family.

Uni Wall Mount Recessed

Benefits

- · Modern streamlined design.
- High Watt (12 W) recessed wall mount with the possibility to be customized to 20W.
- · Multiple mounting option.

Features

- Die cast aluminum housing and tempered glass diffuser.
- Textured architectural bronze powder coat finish.
- · Various color can be customized to meet per customer need.

Application


- Walkways
- · Parks and Plazas
- · Outdoor Parking areas

Versions



BWP40 SPP

Dimensional drawing



Uni Wall Mount Recessed

General Information	
Driver included	Yes
Light Technical	
Color rendering index (CRI)	70
Operating and Electrical	
Power Consumption	12 W
Controls and Dimming	
Dimmable	No
Mechanical and Housing	
Optical cover type	Flat glass
Housing Color	Gray
Mech. impact protection code	IK08
Ingress protection code	IP65
Approval and Application	
CE mark	Yes

Light Technical

		Correlated Color	
Full Product Name	Light source color	Temperature (Nom)	Luminous Flux
BWP400 LED WW 220V 12W WB	730 warm white	3000 K	580 lm
PSU 7012			
BWP400 LED NW 220V 12W WB	740 neutral white	4000 K	620 lm
PSU 7012			
	BWP400 LED WW 220V 12W WB PSU 7012 BWP400 LED NW 220V 12W WB	BWP400 LED WW 220V 12W WB 730 warm white PSU 7012 BWP400 LED NW 220V 12W WB 740 neutral white	BWP400 LED WW 220V 12W WB 730 warm white 3000 K PSU 7012 BWP400 LED NW 220V 12W WB 740 neutral white 4000 K



© 2025 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. All trademarks are owned by Signify Holding or their respective owners.